

***Professional Tools for the Tile & Stone Industry***

***Get Behind the Shield!***



**Volume 9**

***RTC Product Catalog***

***For more information visit us online at:  
[www.RTCproducts.com](http://www.RTCproducts.com)***

***N57 W13282 Carmen Ave. • Menomonee Falls, WI 53051***

***Phone: 262-432-0877 • Fax: (262) 790-2177***

# Grout Grabber

## GROUT REMOVAL TOOL




**Turn a reciprocating saw into a grout removal tool**



**Creates minimal dust**


The Grout Grabber tool removes grout with ease on joints ranging from 1/8" up to 1/2". Simply add or subtract blades for desired width. The unique curved design adds control when beginning the removal process. Never before has grout removal been this easy, inexpensive, and created less dust. The adapter fits most reciprocating saws.



Turn a reciprocating saw into a grout removal tool by simply attaching the Grout Grabber.



- Complete Regrout
- Remove Cracked Grout
- Change Grout Color
- Repair Broken Tile
- Restoration Work
- Removal of Excess Thinset



**Use up to 4 blades for larger grout joints**

| Item #  | Description                           | Case Qty. |
|---------|---------------------------------------|-----------|
| GRGGKIT | Grout Grabber Kit (Adapter & 1 Blade) | 12        |
| GRGGBLD | Grout Grabber 2 Pack Carbide Blades   | 12        |

# Hammerhead

## MULTI-USE SUPER SCRAPER




**Fits most reciprocating saws**



**Blasts through thinset**

**Blade blast through thinset, linoleum, drywall mud, paint & glue.**



The Hammerhead will amaze you with its ability to remove material from a variety of surfaces, using the power of the reciprocating saw. By doubling, or even tripling productivity, you can complete a job faster and with less fatigue. The heat treated shank has a 90° twist which eliminates flexing, and allows the parent tool to be used in the upright position as intended.

- Designed to fit most reciprocating saws on the market
- Compatible with both corded, and cordless models
- One shank for various blade sizes, eliminating the need for multiple tools
- Thicker blade can be sharpened multiple times
- Twisted shank keeps blade at a comfortable angle

| Item #   | Description (All item #'s Packed 6 per box) |
|----------|---------------------------------------------|
| SCRHH3SS | Hammerhead Super Scraper 3 Blade Set        |
| SCRHH2SS | Hammerhead 2" Super Scraper Kit             |
| SCRHH2   | Hammerhead 2" Replacement Blade (2 pack)    |
| SCRHH4   | Hammerhead 4" Replacement Blade             |
| SCRHH6   | Hammerhead 6" Replacement Blade             |



**Multiple blade sizes**



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



# Tavy Thin Skin

"THINNEST SUBSTRUCTURE AROUND, GREAT FOR TILE OVERS, AND A WARRANTY YOU CAN BE CONFIDENT IN!"

## Easy 5-Step Installation



1. Clean surface from oil, water, wax and dust.
2. Spread TAVY Thin-Skin #007 Glue
3. Install TAVY Thin-Skin Underlayment
4. Skim-coat surface with any thin-set mortar (allow to dry)
5. Start setting tile

This 2-part underlayment system can be used over any surface. The only surface preparation required is to have a clean surface that is free from oil, water, wax and dust.

- Use to meet existing threshold heights.
- Beat your competition by eliminating demolition costs.
- NO dust mess to clean up.
- Virtually NO additional height added to surface.
- NO waste, all pieces are usable regardless of size and shape.
- 25%-50% lower cost than other underlayments.
- One roll of underlayment and one gallon of glue will cover 100 square feet.
- NO need to buy or install nails/screws.
- Minimize overall load weight.

Part 1: Thin-Skin Underlayment: non-woven fiberglass reinforced fabric/paper. (100 sq. feet per roll).



Part 2: Thin-Skin #007 Glue: high end multi-purpose adhesive high in solids, which will adhere to any surface. (Contains 1 gallon covering 100 sq. feet).

| Item # | Description            | Case Qty. |
|--------|------------------------|-----------|
| 8500   | Thin Skin Underlayment | 4         |
| 8501   | Thin Skin Glue         | 4         |

# Cement Board Tape

FOR USE WITH CEMENT BASED MORTAR

*Do you like saving money?  
That's how we "roll"!*

The RTC Cement Board Tape is a self adhering, heavy duty fiberglass mesh that is ideal for reinforcing seams between cement backer units and other tile underlayment. Always be sure to install underlayment using manufacturer's specifications.

Complies with ANSI A108.11 standards



**2" x 150' (51mm x 46m)**

- Alkali-resistant for longer life
- Strong heavy-duty fiberglass mesh
- Strong bonding self-adhesive

| Item #   | Description       | Length   | Case Qty |
|----------|-------------------|----------|----------|
| SPTMT150 | Cement Board Tape | 150 feet | 24       |



All products shown are backed by the Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**


## BIG RED BOX BEAM

### Why sola has the world's best box beam levels!

The Sola Big Red Box Beam Levels are the epitome of perfection. With a range of sizes from 16" to 96" there is a level for virtually any situation. The patented FOCUS vial is unlike anything in its class, offering 60% magnification, a shock proof bubble, and a luminous backing that will charge the liquid to glow in low light.



**SOLA FOCUS vials provide a 4x higher contrast than ring vials.**



**Luminous Vial:** Every horizontal SOLA FOCUS vial is equipped with a luminous backing beneath the vial. This fluorescent light plate enables easier reading in low light situations without any LEDs. vials are made of break-resistant acrylic material. Besides its resistance to deformation or breakage, the acrylic is highly UV resistant. Our patented ultrasonic welding of the vials ensures no leaks.

**Accuracy:** At SOLA, every spirit level is adjusted individually and undergoes a 100% quality inspection under stringent conditions. Our BIG RED is the most accurate box beam level in the world. With maximum deviations less than 0.3 mm/m (0.017°, 0.0003in/in.) in standard and less than 0.5 mm/m (0.029°, 0.0005in/in.) in inverted position, no other level is more precise.

**Robust Profile:** Our bestselling, sturdiest level, BIG RED, has an extra strong aluminum profile (890 g/m, 0.61 lbs/ft.) with reinforcing ribs. Among the most rugged levels on the market, the BIG RED profile is engineered to handle relentless use and accidental abuse without losing its shape and compromising your work.

**End Caps:** Two shock-absorbing end caps protect the level in case of a fall or shock. Equipped with an anti-slip surface, our levels allow for convenient positioning and a secure grip of the level on the measured surface. The level can be held securely with one hand when marking.

**Handles:** All BIG RED levels 32 inches and longer come with two handles. These ergonomically designed handholds provide a comfortable grip and added convenience on our most precise tools.



| Item # | Description                                    |
|--------|------------------------------------------------|
| LSB16  | 16" Sola Box-Beam 2 Focus Vials                |
| LSB24  | 24" Sola Box-Beam 3 Focus Vials (D, M)         |
| LSB32  | 32" Sola Box-Beam 3 Focus Vials (M)            |
| LSB36  | 36" Sola Box-Beam 3 Focus Vials (M)            |
| LSB48  | 48" Sola Box-Beam 3 Focus Vials (D, M, DM)     |
| LSB59  | 59" Sola Box-Beam 3 Focus Vials (M)            |
| LSB72  | 72" Sola Box-Beam 3 Focus Vials (M)            |
| LSB78  | 78" Sola Box-Beam 3 Focus Vials (M)            |
| LSB96  | 96" Sola Box-Beam 3 Focus Vials                |
| LSTFM  | 10" Torpedo 3 Focus Vials Magnetic w/ V-groove |
| LSGOM  | 3" Sola Go Magnetic Pocket Level w/ Clip       |



**LSTFM**  
10" Torpedo



**LSGOM**  
Go Magnetic




Digital (D) & Magnetic (M)  
versions available upon  
request



**Fluorescent light plate enables easier reading in low light without any LEDs**



**The BIG RED is the most accurate box beam level in the world**



**Extra strong aluminum profile with reinforcing ribs**



**Two shock-absorbing end caps protect the level**



**Ergonomic handles provide a comfortable grip**



All products shown are backed by the  
Russo Trading Company Shield of Approval.

Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



# Sola TLM2 Deep Hole Marker



**Small diameter lead for precise marking on rough & smooth surfaces**



**Sharpener included on the pop off top of marker**

The new TLM2 is a multi-functional marking tool. With the new attachment made from ABS plastic, the TLM2 can be used as a mechanical pencil for writing and simple markings. Unscrewing the attachment turns the TLM2 into a deep hole marker. The long, thin, stainless-steel tip enables high-precision marking of holes during assembly work and for marking in hard-to-access areas.

## Graphite/wax composite



| LEAD            | GRAPHITE | RED | YELLOW |
|-----------------|----------|-----|--------|
| wet wood        | ■■■      | ■■■ | ■■■    |
| dry wood        | ■■■      | ■■■ | ■■■    |
| stone           | ■■■      | ■■■ | ■■■    |
| metal           | ■■■      | ■■■ | ■■■    |
| tile/ceramic    | ■■■      | ■■■ | ■■■    |
| glass           | ■■■      | ■■■ | ■■■    |
| concrete        | ■■■      | ■■■ | ■■■    |
| brick           | ■■■      | ■■■ | ■■■    |
| rubber          | ■■■      | ■■■ | ■■■    |
| plastic         | ■■■      | ■■■ | ■■■    |
| mirror          | ■■■      | ■■■ | ■■■    |
| paper/cardboard | ■■■      | ■■■ | ■■■    |
| dark surfaces   | ■■■      | ■■■ | ■■■    |

■■■ excellent ■■■ very good ■■■ good

- Special design facilitates deep hole markings up to 45 mm (1.78") in depth
- Lead with small diameter for precise markings
- Integrated sharpener in the push button
- Universal lead for both rough and smooth surfaces
- Rugged ABS belt clip for a secure grip

| Item #      | Description                                                                                        | Case Qty |
|-------------|----------------------------------------------------------------------------------------------------|----------|
| TLM2DISPLAY | Sola Deep Hole Marker Display (20 Deep Hole Markers, 10 Graphite Refills, 10 Graphite/Wax refills) | 1        |
| TLM2        | Sola Deep Hole Marker                                                                              | 10       |
| SGTLM2HB    | Sola 6pc. Graphite Lead Refill                                                                     | 10       |
| SCTLM2      | Sola 6pc Graphite/Wax Refill (2 Graphite, 2 Red, 2 Yellow)                                         | 10       |

# Sola Go! Smart

## DIGITAL INCLINOMETER AND PROTRACTOR WITH BLUETOOTH



**Digital measurement of gradients and angles**



**Bluetooth interface means that it can be used together w/ the free SOLA Measures app**

The digital GO! Smart from SOLA combines the functions of a spirit level, an inclinometer and a protractor in a single device. Equipped with a backlit display and a magnetic base with a V-groove, this compact all-rounder has versatile applications. The GO! smart's Bluetooth interface means that it can be used together with the free SOLA Measures app, giving you access to useful additional functions.

- Digital Measurement of gradients & angles
- Easy to read in any position
- Concentrated power in a compact device
- Smart additional function w/ the sola measures app
- Measurement tolerance of Solatronic module: 0.05° at 0° and 90°



SOLA Measures App


The user-friendly app is intuitive and easy to use. Suitable for iOS and Android.

| Item # | Description    | Case Qty |
|--------|----------------|----------|
| LSGOMD | Sola Go! Smart | 1        |



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)

**Take control of your next self-leveling job with EdgeBan and Keep the Level!  
Installs easily with latex caulk or thinset mortar.**



**EdgeBan**  
Designed to be installed  
around the perimeter of  
any room.



**ToiletBan**  
Perfectly seals around toilet  
flanges



**VentBan**  
Worry free barrier for  
common size vents



**Easily trim flush after  
leveler is dry**

**Ban, Level, Trim, and Lay!**



EdgeBan is the perfect product to speed up your prep time for any self-leveling underlayment job – big or small. By providing a fast solution to create a leak-proof barrier around the perimeter and floor openings, EdgeBan contains the self-leveling underlayment quickly and efficiently. Level Lock Technology ensures EdgeBan products are fully integrated with the hardened surface by letting the leveler and EdgeBan effectively become one monolithic underlayment. EdgeBan works with the underlayment to become a solid, & flat substrate for flooring material installation. All of this while also creating a soft perimeter joint.


**Why the slots?**



The slots and holes in EdgeBan are by design. They allow self-leveling to flow and fill into the holes creating a link and lock with the leveling material. The EdgeBan then becomes monolithic with the underlayment. The EdgeBan can then be trimmed flush with the cured leveling material. Flooring material can then be installed directly over the EdgeBan material.



**EdgeBan...making self-leveling what  
it should be...Easy and Fast!**



| Item # | Description                  | Dimensions                                   | Case Qty. |
|--------|------------------------------|----------------------------------------------|-----------|
| LTEB8  | EdgeBan Linear Barrier 8 pk. | 4' x 1 1/4" x 1 1/4"                         | 8         |
| LTEBT  | EdgeBan ToiletBan            | 7 1/4" inside diameter x 1 1/4"              | 12        |
| LTEBV  | EdgeBan VentBan              | 10 3/4" x 4 5/8" inside measurement x 1 1/4" | 9         |



All products shown are backed by the  
Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**



# WaleTale

## DUST CONTAINMENT SYSTEM FOR VACUUMS



**Problem**



**Solution**

**"No pail should be without the Tale!"**

- Fits standard buckets - 5, 3, and even 1 gallon buckets
- Cuts down on cleanup time
- Helps to prevent Silicosis and/or Lung Cancer, resulting from the prolonged & repeated inhalation of crystalline silica contained in many mortars, thinsets, & grouts.

**Tested & Achieved  
0% Airborne Respirable  
Crystalline Silica**



| Item # | Description                       | Case Qty |
|--------|-----------------------------------|----------|
| MXWT   | Wale Tale Dust Containment System | 64       |
| MXWTR  | Wale Tale Universal Hose Reducer  | N/A      |

**Eliminates Dust!**  
**When mixing mortars, thinsets, and grout in standard buckets.**



**Universal Hose Reducer available to fit any size vacuum hose!**



# Double Box

## MIXING PADDLE



**Designed to minimize air entrapment**



**High quality welds for extreme durability**



- Long 30" hexagonal shaft allows user to stand upright comfortably
- Fit with 1/2" or 3/8" drill chuck
- Double Box Mud Mixer Paddle
- Use for mixing materials such as: Mortar, Tile Adhesive, Filling Compounds, Plaster, Screeds



| Item # | Description              | Case Qty |
|--------|--------------------------|----------|
| MXDBM  | Double Box Mixing Paddle | 6        |



All products shown are backed by the Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**



**HEXAFIX® Tool Connection**  
Switch paddles without a tool



**Comfortable holding position**



**We have the right Collomixer**  
for every material type

### Why Collomix Collomixer?

- Power-Mix Technology
- HEXAFIX® Tool Connection
- Optimal ergonomics
- Variable speed trigger switch

Collomix mixers have been helping professionals on construction sites for decades. Reliable & powerful technology for all the challenges that arise when mixing.



**Xo1R 1.4 hp**  
Entry-level paddle mixer for mixing capacities of up to 10 gallons.



**Xo4R 1.7 hp**  
Rugged universal mixer for mixing quantities of up to 17 gallons.



**Xo6R 2.1hp**  
The power package for the toughest mixing jobs up to 24 gallons.



**Xo55R 1.9 hp**  
The heavy-duty double paddle mixer for mixing capacities of up to 24 gallons.

Stronger parts mean stronger mixing products. Every part of a Collomix mixer serves a purpose – because this is NOT a modified drill; it's a tool that's 100% designed for mixing. All parts meet the highest standards for durability, reliability and worker safety.

| Item # | Description                         | Case Qty |
|--------|-------------------------------------|----------|
| XO1R   | Collomix Xo1R Handheld Power Mixer  | 1        |
| XO4R   | Collomix Xo4R Handheld Power Mixer  | 1        |
| XO6R   | Collomix Xo6R Handheld Power Mixer  | 1        |
| XO55R  | Collomix Xo55R Handheld Power Mixer | 1        |

2-year warranty

## AQIX WATER DOSING DEVICE



**Accurately and precisely**  
measure the amount of  
water needed for every mix




Many building materials require very precise water metering in order to mix their material properties correctly. To dose the correct amount of water using a measuring cup is often too inaccurate. The better solution is the new AQIX water dosing device. At the push of a button, you always get the exact amount of water you need for your materials such as mortar, fillers, leveling compounds, etc. This battery operated, portable device featuring automatic shut off eliminates the need to haul water buckets. Faster, easier and cleaner mixing than ever before.

| Item # | Description                  | Case Qty |
|--------|------------------------------|----------|
| AQIX   | Collomix Water Dosing Device | 1        |





Designed to minimize air entrapment



Protective ring provides smooth reliable mixing without damaging the bucket



Durable powder coated finish



3/4" high grade steel shafts for stability and no flex



HEXAFIX® Tool Connection

### Why Collomix Mixing Paddles?

- Versatile
- Patented HEXAFIX® Connection
- Strong welded joints
- Protective ring
- Powder-coated finish

All material needs the right paddle. A wide range of high-quality mixing paddles for a variety of mixing materials is offered. This is because short mixing times, optimal results and minimum physical strain on the user can only be achieved with the right mixing paddle.



#### WK

For mixing grouts, mortars, plasters, fillers, etc.




#### KR

For mixing tile adhesives, sealing compounds, etc.



#### DLX

For mixing large volumes of paints, fillers, coverings, etc.



#### MKD

Suitable for almost every construction material



#### LX

For mixing paints, epoxy-resins, plastics, etc.

Do you want to know which mixing equipment is the best solution to process your material? Collomix works closely with leading material manufacturers to provide you with the proper recommendations.

#### COLLOMIX PADDLE ~ MATERIAL MATCHUPS

|                          | FM | LX | MK Neg | WK | KR | MK |
|--------------------------|----|----|--------|----|----|----|
| MATERIALS                |    |    |        |    |    |    |
| Leveling Compounds       |    | •• |        |    | •• | •  |
| Bitumen Coatings         |    | •• |        |    | •• |    |
| Paints                   | •• | •• | ••     |    |    |    |
| Lacquers/Glazings        | •• | •• | •      |    |    |    |
| Grouting Compounds       | •  | •• | •      |    | •• | •  |
| Joint Cement             |    | •  | ••     |    | •• |    |
| Epoxy Resins             | •  |    |        |    | •  |    |
| Caulks                   |    | •• |        |    | •  |    |
| Adhesive Mortars         |    |    |        | •• |    | •• |
| Fillers                  |    | •  |        | •• | •• | •• |
| Tile Adhesives           |    |    |        | •• | •  | •• |
| Ready-Mix Mortars        |    |    |        | •• | •• | •• |
| Thick Plaster            |    |    | •      |    | •• | •• |
| Gypsum Lime Plaster      |    |    | ••     | •  | •• | •• |
| Fibred Materials         |    | •  | ••     |    | •• | •• |
| Thin Set                 |    |    |        | •• | •  | •• |
| Plasters                 |    |    | •      | •• |    | •• |
| Screeding                |    |    |        | •• |    | •• |
| Heat-Insulating Plasters |    |    | •      | •  |    | •• |
| Epoxy-Resin w/Sand       |    |    |        | •  |    | •• |
| Concrete                 |    |    |        |    |    | •• |

•• = Ideal • = OK = Not Suitable



View our digital mixing guide

Drill shaft mixers also available. Contact us for pricing.



| Item #   | Description                            | Case Qty |
|----------|----------------------------------------|----------|
| WK120HF  | Collomix Universal Paddle-Small        | 2        |
| WK140HF  | Collomix Universal Paddle-Large        | 2        |
| KR120HF  | Collomix Bird Cage Paddle-Small        | 2        |
| KR140HF  | Collomix Bird Cage Paddle-Large        | 2        |
| DLX120HF | Collomix Low Viscosity (Thin Material) | 2        |
| DLX152HF | Collomix Low Viscosity (Thin Material) | 2        |
| MKD120HF | Collomix Dual Mixing Paddles-Small     | 1        |
| MKD140HF | Collomix Dual Mixing Paddles-Large     | 1        |
| LX120HF  | Collomix Low Viscosity (Thin Material) | 2        |



**Dust-free mixing with the dust extraction Dust.EX**



**Easy opening of heavy mixing bags with the bag ripper Sharky**



**No more rotating buckets thanks to the bucket holder Mix.GRIP**



**Ideal for mixing heavy and high viscous materials**



**Tool-free and easy change of mixing paddles**

### Dust.EX Extration Tool

Simply clamp the Dust.EX dust extraction device to the edge of the mixing bucket in combination with a vacuum cleaner. The clamping spring enables attachment to almost any mixing bucket. Switch the vacuum cleaner on for virtually dust-free working while filling or mixing. Dust.EX reliably removes any escaping material.

| Item # | Description                     | Case Qty |
|--------|---------------------------------|----------|
| DX     | Collomix Dust.EX Extration Tool | 2        |

### Sharky

Put this practical bag ripper on your mixing bucket, then place the material bag on the teeth. Bags can be opened with little effort, and without the need for an additional knife. Thanks to its intelligent design, Sharky can be used with a wide range of bucket diameters.

| Item # | Description                | Case Qty |
|--------|----------------------------|----------|
| SBR    | Collomix Sharky Bag Ripper | 2        |

### Mix.GRIP

Depending on the material's composition, there is a risk of the mixing bucket overspinning. Thanks to the adjustable foot treadle, buckets of various diameters can be secured quickly and easily.

| Item # | Description                     | Case Qty |
|--------|---------------------------------|----------|
| MG     | Collomix Mix.Grip Bucket Holder | 1        |

### RMX - Mixing Stand

The rugged RMX mixing assistant (support arm) copes easily with even viscous and heavy materials. Reliably absorbs and dissipates the generated forces. The RMX mixing stand is an economical alternative to automatic mixers. Works with Collomix handheld mixers.

| Item # | Description                           | Case Qty |
|--------|---------------------------------------|----------|
| RMX    | Collomix RMX Mixing Stand/Support Arm | 1        |

### Hexafix - Quick-Coupling

This adapter will fit any machine with an M-14 thread. HEXAFIX® lets you switch paddles to match the mix without the need for extra tools. This patented design increases work-flow and productivity with its quick action coupling.

| Item # | Description                     | Case Qty |
|--------|---------------------------------|----------|
| HF     | Collomix Hexafix Quick-Coupling | 1        |



All products shown are backed by the Russo Trading Company Shield of Approval.

**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**





*High quality polyethylene mixing and mortar buckets with high stability and carrying capacity.*

*Perfectly tailored to the Collomix small batch mixing products.*



### 8 Gallon

Ideal for small but heavy loads. Black w/ metal carrier handle



### 17 Gallon

Professional tub good for general use and for AOX-S & XM2



### 17 Gallon Tall

Tall mixing bucket; also fits the Collomix LevMix



### 25 Gallon

Oversized mixing bucket for large batches

### ***Why Collomix Mixing Buckets?***

- Strong and durable
- Tear-off-resistant handles
- Made of high-strength materials

| Item # | Description                    | Case Qty |
|--------|--------------------------------|----------|
| 8GB    | Collomix 8 Gallon Bucket       | 1        |
| 17GB   | Collomix 17 Gallon Bucket      | 1        |
| 17T    | Collomix 17 Gallon Tall Bucket | 1        |
| 25GB   | Collomix 25 Gallon Bucket      | 1        |



*Perfectly balanced for tilting. High precision pouring means clean shoes and clean walls.*



*Save time and mix up to 3x's faster with the only paddle on the market for mixing self-leveling materials.*



Proprietary VLX mixing paddle uses both a top down and side-to-side mixing style to ensure a perfect fluid mix for leveling compounds.

### LEV MIX 65 - Heavy Duty Portable Mixer

Mix, transport and pour self-leveling compounds for perfect results. Now you can mix faster and more efficiently! The LevMix ensures that your blend is perfect and your mix time is cut in half with high output, transportability and easy pouring.

Perfectly designed for: Floor leveling compounds and levelers, leveling fillers, pouring screed, fiber-reinforced fillers, colored surfacing materials, colored coatings, liquid plastics, etc.

- Mixing capacity: up to 15 gallons or 3 bags (220 lbs.)
- Includes: VLX 160 HF paddle, 19 gal. bucket & pouring spout.
- One man operation
- Consistently superb mixing results
- Mix and pour from the same bucket
- Maximum mobility
- Integrated dust extraction port

| Item #     | Description                            | Case Qty |
|------------|----------------------------------------|----------|
| LEV MIX 65 | Collomix LevMix 65 Self Leveling Mixer | 1        |



**Dust extraction hook up and removable cover to reduce dust emission. Once the perfect mix is achieved, just open the shoot and the machine will empty itself.**



**The fold down bucket cover lid is designed for safety, minimizing dust, and includes a dust extraction hook up. If opened, the paddles will stop operating.**



**Planetary gearing converts power into high torque and high speed, ensuring optimum mixing in the shortest time possible.**

\*Bucket Dolly for the 17 gallon bucket shown in the picture above is sold separately.  
Item #: MXBC17.



### TMX1000 & 1500- Forced-Action Compact Pan Mixer

The TMX is specially designed for heavy material with three perfectly angled arms that spin at a low rotation speed. Let the TMX do the work, so you can be productive elsewhere on the site. Integrated bag ripper on top of the machine opens the bag for you. The shaker will remove any persistent material. Its main attributes are speed, mobility and reliability – so it saves time, energy and money.

- Ideal for: dry and highly-viscous materials such as numerous types of mortar, stucco, grout and concrete.
- Mixing capacity: up to 20 gallons of pre-bagged materials.

| Item #  | Description                | Case Qty |
|---------|----------------------------|----------|
| TMX1000 | TMX1000 Compact Mixer-110V | 1        |
| TMX1500 | TMX1500 Compact Mixer-240V | 1        |



### AOX-S - Counter Rotating Mixer

The most versatile automatic mixer in its class on the market. The AOX-S comes with two specialized paddles designed to work with a broad variety of materials giving you flexibility, perfect results and performance every time. Compact, light and easy to transport. One person can easily handle transporting and lifting this machine.

- Ideal for: thin-bed mortar and fillers, tile-adhesives, plasters, screed, cement, grout, etc.
- Mixing capacity: up to 10.5 gallons

| Item # | Description                    | Case Qty |
|--------|--------------------------------|----------|
| AOXS   | AOX-S - Counter Rotating Mixer | 1        |



### XM-2/650 - Counter Rotating Mixer

This high performance, forced-action, mobile mixer is a beast of a machine for a beast of a job. Choose from a variety of speeds and paddle attachments for any variety and combination of mixing needs. Forced-action mixing tackles the most challenging materials.

- Ideal for: a variety of material from liquid to plastic media and multi-component systems like quartz sand mortar all-in-one machine
- Mixing capacity: up to 13 gallons

| Item # | Description                  | Case Qty |
|--------|------------------------------|----------|
| XM2650 | XM-2/650 Forced Action Mixer | 1        |





**NEW!** Cut to size select a strap™ removes excess flap from getting in the way



These knee pads are made of 100% washable neoprene and have an extra large super-soft contoured 3/4" thick foam rubber insert pad for greater comfort. The front of this knee pad and strap is covered with tough leather for increased durability and will not mark or scratch floors.

Quick and easy on/off using the single 3" wide front fastening Velcro® strap. Non-binding straps fit below the knee and prevent chafing, allowing these knee pads to be worn with shorts.

| Item #      | Description                          | Case Qty |
|-------------|--------------------------------------|----------|
| KNESOFTLEAT | Leatherheads™ SuperSoft Kneepad - XL | 6        |

# Bucket & Margin Trowel

UPDATED DESIGN

5" x 2" Margin Trowel  
(5" x 2")



6" x 2" Margin Trowel  
(6" x 2")



5" Bucket Trowel  
(5.5" x 3.5" x 2.5")



7" Bucket Trowel  
(7" x 4.25" x 3.25")



RTC offers an array of sizes of tapered bucket trowels and standard margin trowels. All trowels feature a super strong carbon steel blade, cushioned grip handle, and a virtually unbreakable weld! These are great for lifting tile to check coverage as well as making sure to get every last bit of mortar or adhesive from your bucket.

| Item #    | Description              | Case Qty |
|-----------|--------------------------|----------|
| TRM52     | 5"x2" Margin Trowel      | 12       |
| TRM62     | 6"x2" Margin Trowel      | 12       |
| TR5BUCKET | 5" Tapered Bucket Trowel | 12       |
| TR7BUCKET | 7" Tapered Bucket Trowel | 12       |



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)

# SwitchBlade

## TROWEL KIT 8PC. SET



8 piece set includes: handle, storage box & 6 trowel blades



Easily select the desired notch for the application



Secure flip down lever releases to adjust or change trowel blade



Push the button & slide trowel off to reveal other blades



Storage box allows moisture to escape

*Tired of random trowels laying all over the place?*



The SwitchBlade trowel from RTC offers a space saving design while pairing our unique comfort grip handle with today's most common trowel notches used in tile installations. The ultra strong spine design provides a high quality feel and function for every day use. All components come in a compact plastic box with a built in drainage system to allow moisture to escape. All trowel blades are made of Stainless Steel to avoid rust and keep your tool lasting longer.

- Adjustable handle for ideal placement
- Form-fitted comfort grip handle
- Stainless steel blades to avoid trowel rust
- Up to 10% longer life on trowel blades
- Extra-Large connection point for added strength
- Up to 20% savings on replacement trowels


### Handle



### Trowel Kit 8pc. Set Includes:

Handle, Box and 6 Notch Sizes

### Box



Replacement blades are sold individually. Additional size notch #7 & #8 sold separately.

| Item #     | Description                                         | Case Qty |
|------------|-----------------------------------------------------|----------|
| TRSB       | SwitchBlade Trowel Kit 8pc. Set                     | 5        |
| TRSBHANDLE | SwitchBlade Replacement Trowel Handle               | 10       |
| TRSB1      | SwitchBlade Tiger Notch Trowel Blade (#1)           | 10       |
| TRSB2      | SwitchBlade 1/4" x 3/16" V-Notch Trowel Blade (#2)  | 10       |
| TRSB3      | SwitchBlade 1/4" x 1/4" Sq. Notch Trowel Blade (#3) | 10       |
| TRSB4      | SwitchBlade 1/4" x 3/8" Sq. Notch Trowel Blade (#4) | 10       |
| TRSB5      | SwitchBlade 1/4" x 1/2" U-Notch Trowel Blade (#5)   | 10       |
| TRSB6      | SwitchBlade 1/2" x 1/2" Sq. Notch Trowel Blade (#6) | 10       |
| TRSB7      | SwitchBlade 3/4" x 9/16" U-Notch Trowel Blade (#7)  | 10       |
| TRSB8      | SwitchBlade Finishing Trowel Blade (#8)             | 10       |
| TRSBCASE   | SwitchBlade Replacement Plastic Kit Box             | 5        |



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



# Comfort Grip Stainless Steel

## TILE TROWEL



Display box with 8 trowels



Form-fitted comfort grip handle



Tiger Euro Notch Trowel




- Stainless-steel construction
- High quality weld
- Form-fitted comfort grip
- High handle clearance

| Item #   | Description                 | Case Qty |
|----------|-----------------------------|----------|
| TRTIGER  | Tiger Euro Notch Trowel     | 8        |
| TR14316V | 1/4" x 3/16" V Notch Trowel | 8        |
| TR1438U  | 1/4" x 3/8" U Notch Trowel  | 8        |
| TR1412U  | 1/4" x 1/2" U Notch Trowel  | 8        |
| TR1414SQ | 1/4" x 1/4" SQ Notch Trowel | 8        |
| TR1438SQ | 1/4" x 3/8" SQ Notch Trowel | 8        |
| TR1212SQ | 1/2" x 1/2" SQ Notch Trowel | 8        |

The Tiger Euro Notch Trowel includes a unique design that guarantees coverage by using a varying notch. This trowel can be used on thick tile, thin tile (GTP), large format and smaller formats as well. The beauty of this trowel is that when embedding a tile into thin-set, the notches collapse into each other giving you better coverage.



Tiger Notch



1/4" x 3/16" V 1/4" x 3/8" U 1/4" x 1/2" U 1/4" x 1/4" SQ 1/4" x 3/8" SQ 1/2" x 1/2" SQ

# Spider Reach Support



Ideal for troweling mortar on large format and GTP installations



Support handle to ensure correct posture while spreading mortar or adhesive. The ergonomic design reduces fatigue as your body's weight is distributed in an optimum manner. Particularly useful when installing large format tile. The spider comes equipped with removable rubber feet, providing an anti-slip feature. Includes two sets (16 each) of replaceable rubber feet.

| Item #   | Description          | Case Qty |
|----------|----------------------|----------|
| LTSPIDER | Spider Reach Support | 12       |



All products shown are backed by the Russo Trading Company Shield of Approval.

Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)


# Ultimate Leave-In Spacers & WEDGES




**EZ Grip Jar Dimensions:**  
5 1/2" x 5 1/2" x 7 1/2"



**Leave-in grout joint & grout over**



**Stack and snap for thick tile**  
3/16" & 1/4" sizes only



**4 sizes of cross and T available**



**Buy in bulk and save**



## 4 Reasons to choose the RTC Ultimate Spacer

- **Rigid:** Rock-solid design holds tile in place without spacer compression, resulting in the perfect joint every time!
- **Leave-In:** Hollow design allows the grout to fill in the body of the spacer and bond to the thinset, allowing it to be left in and eliminating removal time.
- **Longer:** Long arms support tile better and makes handling easier.
- **Stackable:** Just stack and snap these spacers together to accommodate thicker tile. (3/16" & 1/4" sizes only)

| Item #     | Description                           | Qty.     | Case Qty |
|------------|---------------------------------------|----------|----------|
| SPC116JAR  | 1/16" (1.5mm) Ultimate + Spacers      | 1000 Jar | 6        |
| SPC116T    | 1/16" (1.5mm) Ultimate T Spacers      | 2000 Jar | 6        |
| SPC116BBX  | 1/16" (1.5mm) Ultimate + Spacers Bulk | 5000 Box | 1        |
| SPC116TBBX | 1/16" (1.5mm) Ultimate T Spacers Bulk | 5000 Box | 1        |
| SPC18JAR   | 1/8" (3mm) Ultimate + Spacers         | 700 Jar  | 6        |
| SPC18T     | 1/8" (3mm) Ultimate T Spacers         | 1100 Jar | 6        |
| SPC18BBX   | 1/8" (3mm) Ultimate + Spacers Bulk    | 5000 Box | 1        |
| SPC18TBBX  | 1/8" (3mm) Ultimate T Spacers Bulk    | 5000 Box | 1        |
| SPC316JAR  | 3/16" (5mm) Ultimate + Spacers        | 400 Jar  | 6        |
| SPC316T    | 3/16" (5mm) Ultimate T Spacers        | 800 Jar  | 6        |
| SPC316BBX  | 3/16" (5mm) Ultimate + Spacers Bulk   | 5000 Box | 1        |
| SPC316TBBX | 3/16" (5mm) Ultimate T Spacers Bulk   | 5000 Box | 1        |
| SPC14JAR   | 1/4" (7mm) Ultimate + Spacers         | 300 Jar  | 6        |
| SPC14T     | 1/4" (7mm) Ultimate T Spacers         | 350 Jar  | 6        |
| SPC14BBX   | 1/4" (7mm) Ultimate + Spacers Bulk    | 5000 Box | 1        |



All products shown are backed by the  
Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**



# TAVY Tile Spacers

**TWO-SIDED CROSS SPACERS**  
100 PC. BAG & 500 PC. BULK



Available in 100 piece bags



Also available in 500 piece bulk boxes




- Easy to install & easier to remove
- See all 4 corners of every intersection
- Save Time, Save Money
- Available in seven color coded sizes:  
1/32", 1/16", 3/32", 1/8", 3/16", 1/4" & 3/8"



| Item # | Description      | Case Qty | Item # | Description      | Case Qty |
|--------|------------------|----------|--------|------------------|----------|
| 1001   | 1/32" 100pc. Bag | 6        | 4001   | 1/32" 500pc. Box | 6        |
| 1002   | 1/16" 100pc. Bag | 18       | 4002   | 1/16" 500pc. Box | 6        |
| 1003   | 3/32" 100pc. Bag | 6        | 4003   | 3/32" 500pc. Box | 6        |
| 1004   | 1/8" 100pc. Bag  | 18       | 4004   | 1/8" 500pc. Box  | 6        |
| 1005   | 3/16" 100pc. Bag | 18       | 4005   | 3/16" 500pc. Box | 6        |
| 1006   | 1/4" 100pc. Bag  | 18       | 4006   | 1/4" 500pc. Box  | 6        |
| 1007   | 3/8" 100pc. Bag  | 12       | 4007   | 3/8" 500pc. Box  | 6        |

# TAVY Tile Spacers

**TWO-SIDED T-SPACERS & WEDGES**



Available in three sizes:  
1/8", 3/16" & 1/4"



Ensures straight grout lines  
in any offset tile installation

The TAVY Two-Sided T-Spacer is the ideal tool for ensuring straight grout lines in any off-set tile installation. The unique two-sided design offers both a "T" side and a "Straight" side to be used between tiles at appropriate intersections. The TAVY Two-Sided T-Spacer will help you achieve professional results fast and easy.

The TAVY Two-Sided Wedge Spacer is the best tool available to help set a level first row of tiles. The TAVY Two-Sided Wedge Spacer is designed to be both a wedge and a spacer. The front is designed to allow you to easily adjust the vertical position of tile. The back allows you to space tiles by the selected dimension. The TAVY Two-Sided Wedge Spacer will help you achieve professional results fast and easy.

| Item # | Description                      | Case Qty |
|--------|----------------------------------|----------|
| 5002   | 1/16" T Spacers Bag (100 pc)     | 12       |
| 5004   | 1/8" T Spacers Bag (100 pc)      | 12       |
| 5005   | 3/16" T Spacers Bag (100 pc)     | 12       |
| 5006   | 1/4" T Spacers Bag (100 pc)      | 12       |
| 5104   | 1/8" Wedge Spacers Bag (100 pc)  | 12       |
| 5105   | 3/16" Wedge Spacers Bag (100 pc) | 12       |
| 5106   | 1/4" Wedge Spacers Bag           | 12       |



All products shown are backed by the  
Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)

# Horseshoe Spacers



Color coded for easy selection



Great for installing on vertical surfaces



Buy in 1000 pc. bulk & save.  
Now available in 3/32".



Use these spacers for accurate setting of any tile. Great for vertical stone or large format tile. They can be removed easily and are reusable.



**New!** 3/32" Purple Horseshoe Spacer is now available in bulk.

| Item #     | Description                   | Qty.     | Case Qty |
|------------|-------------------------------|----------|----------|
| SPC116SHIM | 1/16" Blue Horseshoe Spacer   | 400 Jar  | 6        |
| SPC18SHIM  | 1/8" Red Horseshoe Spacer     | 300 Jar  | 6        |
| SPC316SHIM | 3/16" Yellow Horseshoe Spacer | 250 Jar  | 6        |
| SPC14SHIM  | 1/4" Black Horseshoe Spacer   | 150 Jar  | 6        |
| SPC116SHOE | 1/16" Blue Horseshoe Spacer   | 1000 Box | 1        |
| SPC332SHOE | 3/32" Purple Horseshoe Spacer | 1000 Box | 1        |
| SPC18SHOE  | 1/8" Red Horseshoe Spacer     | 1000 Box | 1        |
| SPC316SHOE | 3/16" Yellow Horseshoe Spacer | 1000 Box | 1        |
| SPC14SHOE  | 1/4" Black Horseshoe Spacer   | 1000 Box | 1        |

# Wedges


SMALL & LARGE



250 piece bag small red wedges

150 piece bag large gray wedges

Ideal for 1st row of tile above tub & kitchen backsplashes.



| Item # | Description                         | Qty.    | Case Qty |
|--------|-------------------------------------|---------|----------|
| SPCSW  | 1/4" Easy Grip Small Red Bag Wedges | 250 Bag | 12       |
| SPCLW  | 3/8" Large Gray Wedges              | 150 Bag | 12       |



All products shown are backed by the  
Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)




# Tavy Tile Puck


## TILE LEVEL & LIPPAGE DETECTOR



**Accurate leveling bubble**



**Ideal for shower drain installation**



### *The Best Tool for Setting Perfectly Flat Tiles*

This bull's-eye level makes accurate setting of tile & stone quick and easy. You can receive an instant reading in all directions to detect unlevel surfaces. It can also be run back and forth on walls or floors to detect lippage.

- Best tool for setting a flat tiled surface
- Eliminate "toe-kickers" ~ high spots
- Level tile perfectly with one simple glance

#### Directions for Lippage Detecting:

Slide the TAVY TILE PUCK back and forth on walls or floors from tile to tile or slab to slab and listen for clicking to detect lippage.

#### Directions for Leveling:

Place the TAVY TILE PUCK on any portion of any flat surface to get an instant reading in all directions at one time.

| Item # | Description    | Case Qty |
|--------|----------------|----------|
| 6002   | TAVY Tile Puck | 4        |

# Sigma Beating Block

## WITH HANDLE



Whether removing lip-page or forcing air from a Gauged Porcelain Tile Panel installation, the Sigma Beating Block is what you need! The metal top is ideal for absorbing the shock of most rubber mallets and the unique nylon composition of the core will not scratch the material being installed.

Dimensions 6<sup>-1/4"</sup> x 13"



**Ideal for removing air in vertical installations**



**Smooth nylon bottom will not scratch material**

| Item # | Description         | Case Qty |
|--------|---------------------|----------|
| 42E    | Sigma Beating Block | 1        |



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)

# Knockout

## RUBBER Mallet

The Knockout Rubber Mallet is the perfect solution whether beating a tile into place or removing a lippage tuning system. The solid rubber head provides great feedback to the user. The comfort grip handle contains a steel core for added strength.



- Solid rubber head will not mar the material
- Steel core for added strength
- Comfort grip handle reduces fatigue



*Textured handle for better grip*



*Perfect for lippage control system removal*

| Item # | Description            | Case Qty |
|--------|------------------------|----------|
| STKO   | Knockout Rubber Mallet | 6        |

# Tavy Tile Mallet

## TWO-SIDED

Beat the air out of your tile with this new and improved Tile Mallet from Tavy Tools. The lightweight, solid rubber head creates the proper amount of impact to seat tile into thinset without causing damage to the tile.



*"Always Beat Your Tiles"*

- Safe for beating all types of tile
- Remove air from under tiles
- Maximize mortar coverage under tile to ensure lifelong bond
- Ensure level installation
- Angled mallet design allows for easy packing of tiles against spacers for perfect grout lines



*More surface area for moving tiles side to side*



*Soft rubber head for lower impact*

| Item # | Description      | Case Qty |
|--------|------------------|----------|
| 6110   | Tavy Tile Mallet | 4        |



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



# Spin Doctor

## TILE LIPPAGE CONTROL SYSTEM

### Are You Using the Best Lippage Control System on the Market?

#### PROBLEM?


Lippage is caused by high or low tiles set improperly creating an undesirable install.




#### SOLUTION!



Easily spin the Leveling Cap down to the tile surface and tighten to perfectly align tiles.



Easily spin the Leveling Cap down to the tile surface



Anti-Friction Shield (optional)



The Knockout Rubber Mallet works great for removal



Breakaway post can be used as spacer or wall shims



Eliminate hand fatigue. Just grip it and twist!

#### Available Components:

- 1/32" (1mm) Red Breakaway Threaded Spacer Post
- 1/16" (1.5mm) White Breakaway Threaded Spacer Post
- 1/8" (3mm) Black Breakaway Threaded Spacer Post
- 3/16" (5mm) Light Gray Breakaway Threaded Spacer Post
- Leveling Cap
- Anti-Friction Shield (Optional)
- Torque Monster



Achieving a flush surface from one tile to another has never been easier. With the Spin Doctor Lippage Control System, you can spin the leveling cap down with ease to the tile surface in seconds. Other systems require tools, use of both hands or awkward repetitive motions which can cause user fatigue when installing large format tile. The Spin Doctor System uses a fast and precise free spin action that will accommodate most tile up to 3/4" (20mm).



| Item # | Description                                           | Case Qty |
|--------|-------------------------------------------------------|----------|
| SDCAP  | Spin Doctor Leveling Cap (Red) 100pc. Box             | 12       |
| SD132  | 1/32"(1 mm) Red Breakaway Spacer Posts 250pc. Box     | 12       |
| SD116  | 1/16"(1.5 mm) White Breakaway Spacer Posts 250pc. Box | 12       |
| SD18   | 1/8"(3 mm) Black Breakaway Spacer Posts 250pc. Box    | 12       |
| SD316  | 3/16" (5 mm) Gray Breakaway Spacer Posts 250pc. Box   | 12       |
| SDCVS  | Anti-Friction Clear View Shield (Optional) 100pc. Box | 8        |
| SDTM   | Torque Monster Anti-Fatigue Tool (Optional)           | 10       |



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)

# Spin Doctor Bulk



**Buy a bulk box of 1/16" posts  
and save \$**



**Buy a bulk box of 1/8" posts  
and save \$**



**Available in bulk!  
Buy in bulk and save!**

Customers asked and we listened. Spin Doctor bases are now available in 2000 piece bulk boxes for the 1/16" and 1/8" post.



1/16"



1/8"

| Item #    | Description                                                 | Case Qty |
|-----------|-------------------------------------------------------------|----------|
| SD116BULK | 1/16"(1.5 mm) White Breakaway Spacer Posts 2000pc. Bulk Box | 1        |
| SD18BULK  | 1/8"(3 mm) Black Breakaway Spacer Posts 2000pc. Bulk Box    | 1        |

# Spin Doctor Kits



**Spin Doctor Pro Kit**  
200 Caps, 500 Posts, 100 Shields  
Available in 4 kit sizes



**Spin Doctor Components**

## Four Convenient Ways To Save!

**SD132KIT** - The 1/32" Spin Doctor Kit is ideal for the installation of Gauged Porcelain Tile Panels (GPTP) and complies with the ANSI A108.19 standard for installation in accordance with spacing and lippage tuning systems.

**SD116KIT** - The 1/16" Spin Doctor Kit is designed to be used as a spacer and lippage reducer when installing Grade A tile and stone that is manufactured with minimal to no size variation.

**SD18KIT** - The 1/8" Spin Doctor Kit is perfect for most installations that require the use of sanded or epoxy grout, and for materials with size variations of 1/32" or less.

**SD316KIT** - The 3/16" Spin Doctor Kit is optimal when installing irregular tile or pieces with size variations greater than 1/32" but less than 1/16" .


| Item #   | Description                                                | Case Qty |
|----------|------------------------------------------------------------|----------|
| SD132KIT | 1/32" Pro Kit (200pc Caps, 500pc 1/32" Posts, 200 Shields) | 1        |
| SD116KIT | 1/16" Pro Kit (200pc Caps, 500pc 1/16" Posts, 100 Shields) | 1        |
| SD18KIT  | 1/8" Pro Kit (200pc Caps, 500pc 1/8" Posts, 100 Shields)   | 1        |
| SD316KIT | 3/16" Pro Kit (200pc Caps, 500pc 3/16" Posts, 100 Plates)  | 1        |




All products shown are backed by the  
Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**



**LEVTEC Tile Leveling System provides a flat, flawless finish with ease.**



**Works great on walls & floors**



**Ensures flush transition from one tile to another**




**Can be used at the intersection of tiles**



**Keeps pieces from shifting or sagging while mortar cures**



**2000 piece bulk boxes also available**



There are many reasons to get your hands on the World's best LEVTEC clip and wedge system. Clips are 10% larger, with the thinnest base on the market & flex bars add constant downward force. The reinforced wedge will outlast the rest. We are so sure these wedges will last, we are offering a lifetime guarantee against breakage. Drop into your nearest tile store and demand LEVTEC!

- Designed to create flawless tiling projects efficiently, every time
- Incredibly Easy To Use
- Speeds Up Installation

- Self spacing for 1/32", 1/16" and 1/8" grout joints
- Eliminates Lippage
- Easy Removal



| Item #       | Description                                  | Case Qty |
|--------------|----------------------------------------------|----------|
| LTCLIP132    | LEVTEC 1/32" Leveling Clip 250pc./bag        | 12       |
| LTCLIP116    | LEVTEC 1/16" Leveling Clip 250pc./bag        | 12       |
| LTCLIP18     | LEVTEC 1/8" Leveling Clip 250pc./bag         | 12       |
| LTCLIP116T   | LEVTEC 1/16" Tall Leveling Clip 250pc./bag   | 12       |
| LTWEDGE      | LEVTEC Leveling Wedge 250pc./bag             | 8        |
| LTPLIER      | LEVTEC Pliers 1pc./bag                       | 6        |
| LSCPP        | Universal Protection Plates 100pc./box       | 8        |
| LTCLIP116BLK | LEVTEC 1/16" Leveling Clip 2000pc./ bulk box | 1        |
| LTCLIP18BLK  | LEVTEC 1/8" Leveling Clip 2000pc./ bulk box  | 1        |



All products shown are backed by the Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**

# LEVTEC Kits

## TILE LEVELING SYSTEM



### LEVTEC 1/16" Kit

250 Wedges, 500 1/16" Clips, 100 Universal Protection Plates & 1 Pliers



### LEVTEC 1/8" Kit

250 Wedges, 500 1/8" Clips, 100 Universal Protection Plates & 1 Pliers

**Level is desired but flat is REQUIRED!**  
The LEVTEC Standard Kits are the perfect way to eliminate lippage on every day installations




LEVTEC Tile Leveling System is designed to reduce or eliminate lippage when installing large format tile. By using LEVTEC, you can ensure the best possible result with minimal effort. Simply insert the self spacing clip below the tile then insert the wedge through the opening. Apply pressure to the wedge until adjacent tiles are flush. The LEVTEC clip is designed to break off clean below the top of the base leaving no residual plastic in the grout joint allowing for proper expansion and contraction.


| Item #   | Description                                                                                | Case Qty |
|----------|--------------------------------------------------------------------------------------------|----------|
| LT116KIT | LEVTEC 1/16" Kit (250 Wedges, 500 1/16" Clips, 100 Universal Protection Plates & 1 Pliers) | 1        |
| LT18KIT  | LEVTEC 1/8" Kit (250 Wedges, 500 1/8" Clips, 100 Universal Protection Plates & 1 Pliers)   | 1        |

# Universal Protection Plate


## FOR MOST TILE LEVELING SYSTEMS



**Protect Your Tile & Marble Surfaces. Works Great On Many Popular Leveling Systems**



**Works on rotating, wedge & strap systems**



### Works with Most Tile Leveling Systems

The Universal Protection Plate is designed for an added layer of protection, and improved functionality for virtually any leveling system available.



#### Serves 4 functions:

1. Eliminates friction on the material surface and converts lateral force into vertical pressure.
2. Protects delicate materials like natural stone and glass from scratching, while reducing premature wear on reusable system components.
3. Keeps mortar from squeezing up through the grout joint, prolonging the life of reusable pieces.
4. Transparent design allows unobstructed view of grout joints with certain style systems.

| Item # | Description                            | Case Qty |
|--------|----------------------------------------|----------|
| LSCPP  | Universal Protection Plates 100pc. Box | 8        |




All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



# Turn Buckle


## RESCUE CLAMP SYSTEM



**T-shaped pin holds tile from below**



**Simply depress the lever with one hand to eliminate lippage**



**Level & align tiles on-the-spot**



**Use with the Anti-Friction Clear View Shield (pg. 21) for material less than 8mm thick**



**Compact size for hard to reach areas**

### **Tile Leveling & Alignment Tool. 100% Reusable.**

**Eliminate uneven tile edges during installation with one hand!**

**Comes to the rescue when other Leveling Systems prematurely break or fail!**

The Turn Buckle Rescue Clamp allows users to level and align tiles on the spot. This fully reusable component is unlike anything on the market today. Not only can it be used as a stand alone lippage tuning product, but it will also work in conjunction with any other system on the market.

**Works on material 1/4" (8mm) - 7/16" (11mm) thick**

US Patent #  
US 9,689,167 B2



**No Breakaway Consumable Components**

1. Insert pin parallel into the grout joint, then twist square base 90° into position.
2. Simply press the lever down until it clicks into place.
3. \*Important\* Immediately after the mortar has cured to manufacturer's specifications, simply flip the lever the opposite direction to release.
4. Twist the square base back 90°, unlocking the pin parallel to the grout joint, allowing it to be removed.



**Item #: LSTB20**  
Contains: 20 pc.  
Turn Buckles in a clamshell design



Scan this QR code to learn more & watch the video

| Item # | Description                | Case Qty |
|--------|----------------------------|----------|
| LSTB20 | Turn Buckle 20 pc. Package | 10       |




All products shown are backed by the Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**

# Tile Rack


## TILE SETTING FRAMES

### In Stock




Standard Joint Square

### Special Order\*



A. Running Bond Horizontal  
B. Square Basket  
C. Square Herringbone  
D. Custom patterns & dimensions

**Use these amazing tile setting frames to accommodate a flawless layout and a fast paced project schedule.**



A perfectly tiled floor takes time, expertise, patience and money. Unfortunately many commercial projects come up against the natural enemy of perfection... deadlines. Complete a commercial quarry tile job quickly and accurately with Tile Racks. Stock Tile Racks come in Standard Joint Square layout. Contact us if Running Bond Horizontal, Square Basket, Square Herringbone or a custom layout is preferred.

### ACTUAL POCKET SIZE (ONE TILE + ONE JOINT)

Pocket Size = Inside Dimension to Outside Dimension

The steel takes 1/8" joint space, so we recommend a minimum joint size of 1/4" to allow for variations in actual tile sizes.

Please determine ACTUAL tile size before calling in.

| Item # | Description                                                        |
|--------|--------------------------------------------------------------------|
| STSJ65 | Standard Joint Square Tile Rack - 6" Cell with 3/16" Joint Spacing |
| STSJ66 | Standard Joint Square Tile Rack - 6" Cell with 1/4" Joint Spacing  |

\* Items in price box above are in stock other sizes are available by special order.

# Pistol Grip

## ONE-HAND SUCTION CUP

**Squeeze. Click. Lift.**



It is hard to believe a suction cup this small has this much power. Easy one-hand operation!

- Up to 33 lbs. (15 kg) lifting capacity
- Suction cup diameter: 2 3/4" (70mm)

Comes in a ready to display peg holder package

For use on multiple applications



Hold tile or glass



Hold & position floor & wall tile



Remove small dents



Device holder

...and much more!

| Item # | Description             | Case Qty |
|--------|-------------------------|----------|
| STPG   | Pistol Grip Suction Cup | 10       |



Easy one-hand operation



Perfect for holding tile to back butter



All products shown are backed by the Russo Trading Company Shield of Approval.

Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



# Suction<sup>2</sup> TILE LIFTER



**Integrated texture ring**



**5" Squared Base with 4-1/2" diameter suction cup**



Sometimes the smallest improvements yield the biggest results. Unlike standard round cups that tend to rock when pressure is applied, possibly requiring the use of a second hand to hold it steady, the "Suction<sup>2</sup>" design stabilizes the entire unit allowing for true one handed operation.

- Suction<sup>2</sup> minimizes rocking when engaged, allowing a more secure grip on materials for a true one handed operation
- The closed loop handle design will not reverse position under load
- Integrated rubber ring provides superior suction even on most textured tile
- Holds up to 110 pounds each
- Comfortable ergonomic handle
- Suction cups will hold firmly on most dust free smooth surfaces.  
If a void exists in the material, the suction could be compromised.

| Item #  | Description                      | Case Qty |
|---------|----------------------------------|----------|
| STSQCUP | Suction <sup>2</sup> Tile Lifter | 12       |

# Power Pro Vacuum Cup



**Protective carrying case**



**Red line indicator for vacuum pressure**



Durable handle provides easy grip. Attaches easily to a variety of surfaces. Red-line indicator warns user of any vacuum loss. Check valve allows re-pumping without loss of remaining vacuum.

- 8" Diameter
- Hand pump activated
- Lifting Capacity: 125 lbs.

| Item #  | Description                              | Case Qty |
|---------|------------------------------------------|----------|
| STPPCUP | 8" Power Pro Vacuum Cup w/ Carrying Case | 4        |



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



**Comes with protective carrying bag**



**Pressure gauge visually ensures suction**



**Rubber button cover protects against dust & moisture**



**Amazing design for ultimate suction strength**



**Impressive lifting strength on textured surfaces**

### **World's first portable electric vacuum lifter!** **Grab rough, porous and even wet surfaces.**

The GRABO is a powerful electric vacuum suction cup that makes heavy lifting easy. Strong, secure, multipurpose and cordless, the GRABO® is designed to grab almost any surface and lift heavy objects with ease!

**Tested to lift 375 lbs.!**



Scan the QR code to watch the video



Includes: Protective Bag, battery, AC adapter and plastic protective cover

**Made for construction professionals, glass handlers, woodworkers, warehouse personnel and moving experts.**



**Works great on textured or smooth large format tile & GPTP**



**A must have for placing wall and floor tile and minimizing risk of damage**

### **Lifting force under different conditions**

#### **Max Lifting Force**

This table provides a rough estimation of the max perpendicular adhesion force and max parallel adhesion force on different materials. These values may vary depending on material and surface conditions.

|                | Perpendicular Hold | Parallel Hold  | P/P Ratio |
|----------------|--------------------|----------------|-----------|
| Glass          | 375lbs (170kg)     | 265lbs (120kg) | 0.7       |
| Metal          | 242lbs (110kg)     | 242lbs (110kg) | 1         |
| Plastic        | 220lbs (100kg)     | 220lbs (100kg) | 1         |
| Wood           | 220lbs (100kg)     | 143lbs (65kg)  | 0.65      |
| Ceramic Tile   | 375lbs (170kg)     | 265lbs (120kg) | 0.7       |
| Rough Concrete | 176lbs (80kg)      | 176lbs (80kg)  | 1         |
| Dry Wall       | 165lbs (75kg)      | 143lbs (65kg)  | 0.87      |
| Rough Slate    | 176lbs (80kg)      | 176lbs (80kg)  | 1         |

| Item # | Description               | Case Qty. |
|--------|---------------------------|-----------|
| GRABO  | GRABO® Vacuum Suction Cup | 4         |



All products shown are backed by the Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**



### Advancements & Features



**Red Wait/Green Ready Light**  
Let the light be your guide.  
Green means go.



**Updated Buttons**  
Waterproof rubber covered buttons help to repel moisture and dust.



**Slimmer Handle**  
More comfortable ergonomic handle design.



#### Includes:

- Protective bag
- Battery
- AC adapter
- Suction ring
- Plastic protective cover

## The World's first portable electric vacuum lifter just went PRO! The same amazing GRABO product, but with these new advancements & features

The GRABO Pro-Lifter is designed for professionals. Unlike the other gigantic solutions, the tool is portable and handy.



Scan the QR code to watch the video



Living up to the promise of "Heavy Lifting – Made Easy", the GRABO Pro is equally effective on smooth as well as coarse surfaces. The Pro-Lifter has a pumping capacity of 20 liters per minute, a best in class. So, say good-bye to unreliable, and often dangerous, manual suction cups for the job. With GRABO Pro you double your work efficiency with enhanced safety.

The tool is ergonomically designed to provide better grip and less fatigue when moving heavy objects. The tool is an effective vacuum lifter even for dusty, semi-porous or rough surfaces. The tool works perfectly with glass, wood, ceramic tiles, metals and other materials. Just like the Classic version, the powerful vacuum pump and rechargeable battery pack are concealed within the grab handle.

### Advancements & Features - cont.



#### Digital Display

The analog gauge is replaced by a digital display with smart settings for both pressure and weight (psi, bar, kg & lb) to ensure suction & safe lifting capacity.



#### Automatic Function

Simply press the green button & it will stop automatically when it reaches complete seal. It will also turn on when needed to keep suction with more porous material.

| Item #   | Description                             | Case Qty |
|----------|-----------------------------------------|----------|
| GRABOPRO | GRABO® PRO Automatic Vacuum Suction Cup | 4        |



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



**Suction cup locking lever**



**High-capacity lithium-ion battery**



**Variable speed trigger**



**Bullseye level**



**Shown with optional Anti-Friction Vibration Plate**



**Handheld Electric Tile Tamper**

**Works great on all types of tile surfaces!**

**Ideal for large format tile installs!**

Use the VibraLift hand-held vibrating suction cup to ensure perfect mortar coverage and eliminate voids.

- Large suction cup for uniform force
- Max lifting capacity of 110 lbs (50KG)
- Lever style suction cup lock
- Vibration can be used with suction cup locked or open
- Variable frequency vibration removes air from setting material below tile



**Lift up to 100 lbs. (50 kg)**

- 1 Suction cup lock
- 2 Durable nylon body
- 3 Ergonomic rubber grip
- 4 Rechargeable Lithium-ion battery
- 5 Integrated bullseye level
- 6 Front stability handle
- 7 Variable speed trigger
- 8 No-mar suction cup

**Lithium-ion capacity:**  
200mA

**Charging current:**  
1.5A

**Lifting capacity:**  
110 lbs

**Vibration frequency:**  
0-10000 r/min

**Operating voltage:**  
DC 16V

**Charging time:**  
2 hours

**Includes:**  
Case, charger & two batteries

| Item #         | Description                   | Case Qty |
|----------------|-------------------------------|----------|
| STVIBLIFT      | Vibrallift with Case          | 6        |
| STVIBLIFTPLATE | Anti-Friction Vibration Plate | 6        |



All products shown are backed by the Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**



# Smart Float System

Handle and 3 Pads  
**Hard** (red) **Medium** (gray) **Soft** (white)



**Pad stays firmly in place during use and peels off with ease for replacement**



**Sharp crisp edges cut clean to the tile surface**



**Individual float comes with a handle and red pad. Replacement pads available in convenient two pack.**



**Choose the right pad for your grouting application**

**Same great product, fresh new look.**



**Kit with handle & 3 pads**  
**Pad dimensions: 3 1/2" x 9 1/2"**



**"We've got this in the bag!"**



Take your pick! RTC Products has developed a full smart float system that allows users to choose the correct float pad for the various types of grout and tile surfaces. Choose between a soft, medium or hard rubber pad to cover virtually any grouting application.

| <b>Hard</b>                                                                                | <b>Medium</b>                                                                                | <b>Soft</b>                                                                                                                         |
|--------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ideal use:</b>                                                                          | <b>Ideal use:</b>                                                                            | <b>Ideal use:</b>                                                                                                                   |
| <ul style="list-style-type: none"> <li>• Epoxy grouts</li> <li>• Rectified tile</li> </ul> | <ul style="list-style-type: none"> <li>• Universal and can be used with any grout</li> </ul> | <ul style="list-style-type: none"> <li>• Single component grouts</li> <li>• Glass tile</li> <li>• Irregular surface tile</li> </ul> |

- Save over 50% of your grout float expenses. Just replace the pad.
- Handle is reusable to save money & waste.
- Lightest professional grout float on the market. The lighter the float the less fatigue on the user.

| Item #  | Description                               | Case Qty |
|---------|-------------------------------------------|----------|
| GFSMART | Original Smart Float w/ Red Rubber        | 12       |
| GFSFKIT | Smart Float Kit (Handle and 3 Pads)       | 12       |
| GFSFP2  | Red Smart Float 2 pc. Repl. Pad (Hard)    | 6        |
| GFSFPG2 | Gray Smart Float 2 pc. Repl. Pad (Medium) | 6        |
| GFSFPW2 | White Smart Float 2 pc. Repl. Pad (Soft)  | 6        |
| GFSFH   | Smart Float Handle                        | 12       |



All products shown are backed by the Russo Trading Company Shield of Approval.

**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**

# Dirt Lock

## SEDIMENT FILTER

**Dirt Lock will filter your grout wash water like you have never seen before. Trap the grout at the bottom of the bucket and speed up grout clean up time. Cleaner water means a cleaner sponge for less haze on tile! Use the same bucket of water longer. Cut grout cleanup time in half!**



**Filters nearly 100% of your wash water!**

**Traps sediment under the screen for fast cleaning!**

The patented design utilizes the motion of your hand to engage the Dirt Lock's turbine induction system. Once you pulse your hand in the bucket, the water is dramatically sped up by the shape of the jet turbine. The dirt is then cycled through hundreds of tapered Venturi funnels and is further sped up again. This shoots the debris underneath the screen and out of harms way, without a way to re-enter the clean water. Any small particles that made it through the openings hit the tumbler system and are pushed back down to the bottom of the bucket. In short, every time you pump your hand in the bucket you are cycling the dirt underneath the screen and replenishing it with reusable clean water.

- Powered by the pulse of your hand
- Jet turbine design speeds up debris, rushing it to the bottom of the bucket
- Venturi funnels squeeze water and debris underneath the screen
- Flexible rubber tabs allow for the perfect fit in nearly any round bucket
- Fresh water return troughs allow only clean water to pass above
- Chemical & crush resistant



| Item # | Description               | Case Qty |
|--------|---------------------------|----------|
| WBDL   | Dirt Lock Sediment Filter | 27       |



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



**One piece design. No filters to change.**



**Fits 3 1/2 - 7 gallon round bucket**



**All dirt locks come equipped with rubber grips**



**Uses kinetic energy used by up and down hand motion**




**Simply rinse and reuse**



# High Roller

## GROUT BUCKET



**Special hole pattern designed for maximum extraction**



**Cut sponges picks up more sand on initial wash**



**Form-fitted cushion grip sponge handle**



**Snap on lid keeps components neatly contained**



**Easily maneuver with swivel caster wheels**



**USE 30% LESS WATER**

**CUT GROUT CLEAN-UP TIME BY 50%**

**NO MORE WET HANDS**



**Convenient 6 piece pop display box**

### AMAZING RESULTS!

#### Kit Includes:

- Bucket w/ Handle
- Sponge Float w/ Cut Sponge
- Removable Grid
- Dual Roller Rack

#### Optional:

- Grout Bucket Plastic Lid
- Water Tray Capacity:
- 24 Liters / 6 Gallons



Cut grout clean-up time by up to 50%. Save hours of back breaking work especially on larger tile jobs. Our sponges last up to 5,000 square feet.

| Item #  | Description                            | Case Qty |
|---------|----------------------------------------|----------|
| WBHR    | High Roller Grout Bucket               | 6 (POP)  |
| WBSF    | High Roller Sponge Float w/ Cut Sponge | 24       |
| WBHRLID | High Roller Sponge Lid (optional)      | 2        |
| WBRW    | High Roller Replacement Wheels         | 2        |
| WBHRRR  | High Roller Replacement Roller         | 2        |
| WBHRRG  | High Roller Replacement Grate          | 2        |
| WBHRRBH | High Roller Replacement Bucket Handle  | 2        |



All products shown are backed by the Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**

# Rockin Roller GROUT BUCKET




**Wipes clean in one pass**




**Reusable handle with replaceable sponge**



**Anti skid rubber wheels**



**Heavy duty plastic grid**



**Ribbed rollers for maximum water extraction**

**Rock and Roll your grout clean from tile surfaces 50% faster than using a standard hand sponge.**



**Stronger bucket design**


With our Rockin Roller Grout Washing Bucket, you will achieve maximum results with full uniform grout joints from one tile to the next.

Your hands remain dry and free from the cold.

- One handle for all available attachments
- Numerous sponge sizes & styles available
- Super fast results while maximizing full joints
- Less haze on final cleaning
- Uses 1/3 less water on the jobsite
- Ribbed rollers for maximum water extraction
- Rollers are pitched to keep water in the bucket

| Item # | Description                                                | Case Qty |
|--------|------------------------------------------------------------|----------|
| WBRR   | Rockin Roller Grout Bucket<br>(Includes Sponge and Handle) | 4        |
| WBR5   | 5"x11" Replacement Sponge                                  | 24       |
| WBR5C  | 5"x11" Replacement Sponge w/cuts                           | 24       |
| WBR5EP | 5"x11" Replacement Epoxy Sponge                            | 24       |
| WBRL   | 7"x14" Replacement Sponge                                  | 24       |
| WBRLC  | 7"x14" Replacement Sponge w/cuts                           | 24       |
| WBRSH  | Replacement Sponge Handle                                  | 12       |


WBR5



WBR5C




WBR5EP



WBRL



WBRLC



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



# XL Hydro Sponge

ULTRA COMPRESSED  
VACUUM SEALED 25 PC. PACK



Case contains 4 boxes of 25 full size XL sponges




AMAZING! 25 XL sponges fit in this small of a box.

**"Grab & Go!"**  
**"Smarter packaging"**  
**"Your customers will love it"**



Box size:  
11" x 11" x 3"



Amazing Ultra Compressed  
25 Piece Contractor Pack

The Ultra Compressed Vacuum Sealed Sponge pack box is the **SMARTER** way to buy. The "Grab & Go" small box size saves money on shipping and retail shelf space. Sell to contractors in convenient quantities.

| Item #  | Description                                                    | Box Qty | Case Qty |
|---------|----------------------------------------------------------------|---------|----------|
| SP25BOX | X-Large Hydro Sponge 7 <sup>1</sup> / <sub>2</sub> " x 5" x 2" | 25      | 4 boxes  |

# Hydro Sponge

200pc. BULK BOXES



3 sizes to choose from

**RTC Products wants your grout sponge business.**

**Here are three ways we intend to earn it!**

1. Low pricing!
2. Grade A full size sponge, high quality, super absorbent, with perfectly uniform rounded edges.
3. Vacuum compressed stackable boxes available in 200 pieces (contains two - 100 piece sealed pouches) or 25 piece contractors pack which allow you to sell to contractors in manageable quantities.

**Buy in Bulk and Save!**



| Item # | Description                                                                               | Qty |
|--------|-------------------------------------------------------------------------------------------|-----|
| SPXL   | X-Large Hydro Sponge 7 <sup>1</sup> / <sub>2</sub> " x 5" x 2"                            | 200 |
| SPL    | Large Hydro Sponge 6 <sup>1</sup> / <sub>4</sub> " x 4 <sup>1</sup> / <sub>2</sub> " x 2" | 200 |
| SPM    | Medium Hydro Sponge 6" x 4" x 2"                                                          | 200 |
| SPL25  | Large Hydro Sponge 6 <sup>1</sup> / <sub>4</sub> " x 4 <sup>1</sup> / <sub>2</sub> " x 2" | 25  |
| SPM25  | Medium Hydro Sponge 6" x 4" x 2"                                                          | 25  |



Ask about our pallet discount



All products shown are backed by the  
Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**

# Super H

## HYDRAPHILIC SPONGE



*Small cell structure doesn't clog as easily*



*Ask about multiple bale discounts*



Introducing the NEW Super H sponge. The original Hydra sponge formula has been re-created! The apricot color, dense body, along with the small cells are the key features that you have come to love. Due to its firmness, this sponge will keep your grout joints full without leaving any fuzz behind.



**Super H**  
Sponge



- Made in the USA
- More dense than lower quality competitors
- Won't rip or tear easily
- Longer lasting
- Rounded edges help to keep grout joints full

Dimensions: 7" x 5" x 2<sup>1/4</sup>"

| Item # | Description    | Case Qty |
|--------|----------------|----------|
| SP450H | Super H Sponge | 450      |

# Epoxy

## SCRUB SPONGE



*Emulsify epoxy or sanded grout*




This super soft scrub sponge works great for emulsifying epoxy or sanded grout during clean up. The open cell design allows grout to release from the sponge to avoid build up, and is soft enough to ensure it will not scratch your material. The nylon material will not break down with epoxy chemicals.

Dimensions: 7<sup>3/4</sup>" x 5<sup>1/2</sup>" x 2"


| Item #  | Description               | Case Qty |
|---------|---------------------------|----------|
| SPEPOXY | Orange Epoxy Scrub Sponge | 200      |

# Blockhead

## GROUT SPONGE



*Super soft with square edges*



Dimensions:  
6<sup>3/4</sup>" x 4<sup>1/2</sup>" x 2<sup>3/8</sup>"

This sponge offers a new technology available in the grout sponge world. The super soft material is extremely easy to wring out, reducing hand fatigue. The square edges help to keep the grout joints full, while also being ideal for corners to reduce or eliminate build up.

| Item #  | Description            | Case Qty |
|---------|------------------------|----------|
| SPBLOCK | Blockhead Grout Sponge | 200      |



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



# Abrasive Scrub Pad & Handle



**White: Lower Abrasive  
Red: High Abrasive**



The comfort grip handle is reusable & features a Velcro bottom to hold the pad in place. \*Sold separately

The RTC Abrasive Scrub Pads are a must have for any tile installation. Whether using them to emulsify grout, remove dry mortar or grout haze, they require less effort without damaging the material.

Available in 20 piece easy to stack boxes

| Item # | Description                      | Case Qty |
|--------|----------------------------------|----------|
| SPSPW  | White Scrub Pad (Lower Abrasive) | 20       |
| SPSPR  | Red Scrub Pad (High Abrasive)    | 20       |
| SPSPH  | Scrub Pad Handle w/ Velcro       | 12       |

# Diamond Turbo Fan Cup Wheels



**5/8" - 11  
threaded  
arbor**

**7/8" - 5/8"  
arbor with  
reducer**




Diamond Turbo Fan Cups from RTC Products are specially formulated for stone work. They are used to grind, shape bevel, scarify and de-burr various materials, such as concrete and thinset. They are great for removing stocks like glue, paint, epoxy and terrazzo.

• 6mm segment height

| Item #      | Description                       | Arbor Size             |
|-------------|-----------------------------------|------------------------|
| DB4TFCUP14  | 4" Turbo Fan Cup (14 Segment)     | 7/8" - 5/8" w/ reducer |
| DB45TFCUP18 | 4-1/2" Turbo Fan Cup (18 Segment) | 5/8" - 11 threaded     |
| DB7TFCUP24  | 7" Turbo Fan Cup (24 Segment)     | 7/8" - 5/8" w/ reducer |
| DB7TFCUP24T | 7" Turbo Fan Cup (24 Segment)     | 5/8" - 11 threaded     |

# T Segment Cup Wheel



**Extremely aggressive for  
ultra fast material removal**



Ultra fast material removal on concrete, masonry & stone.


- Long Life
- 5mm segment height
- 5/8" - 11 Thread

| Item #   | Description              |
|----------|--------------------------|
| DB45CUPT | 4.5" T Segment Cup Wheel |
| DB7CUPT  | 7" T Segment Cup Wheel   |



All products shown are backed by the  
Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**

# Diamond Polishing Hand Pads



Use for Sanding or Polishing materials such as:

- porcelain • ceramics • marble
- granite • glass • concrete
- terrazzo • quartz surfaces



- Excellent hand polishing performance and convenient to use on the jobsite with minimal dust
- Long lasting electroplated diamond surface is abrasion resistant and uses nickel plated technology to hold each individual diamond in place
- Comfortable Foam Grip

| Item #   | Description                | Case Qty |
|----------|----------------------------|----------|
| GPPAD60  | Diamond Hand Pad #60 Grit  | 12       |
| GPPAD120 | Diamond Hand Pad #120 Grit | 12       |
| GPPAD200 | Diamond Hand Pad #200 Grit | 12       |
| GPPAD400 | Diamond Hand Pad #400 Grit | 12       |

## Hat Trick Hybrid

3 PIECE WET/DRY POLISHING PADS



Time saving 3 step polishing system




### Time is Money!

The innovative technology of the Hat Trick Hybrid 3 piece Diamond Polishing Pads will accomplish a high gloss finish on a variety of materials. Now in three simple steps you can achieve or exceed the results of traditional seven step methods, reducing work time up to 60%. The results are amazing especially on darker color granite!


For use on: Marble, Granite, Porcelain, Glass, Concrete and Engineered Stones



Polish all natural stone, porcelain & glass, including dark granite



Use with our backer pads



### Features:

- Up to 60% more efficient
- Provides factory like finish quick & easy
- Can be used wet or dry (Wet only on quartz and engineered stone)

| Item #    | Description                            | Case Qty |
|-----------|----------------------------------------|----------|
| GP4HT     | 4" - 3 Piece Hat Trick Pad             | 6        |
| GP4BACKUF | 4" Ultra Flexible Backer Pad w/ Velcro | 6        |
| GP4BACKF  | 4" Flexible Backer Pad w/ Velcro       | 6        |
| GP4BACKA  | 4" Aluminum Backer Pad w/ Velcro       | 6        |



The Winning Combination



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



# Killer Bee Wet/Dry


## POLISHING PADS



**Dry Set Includes:**  
50, 100, 200, 400, 800, 1500,  
3000, Final Buff White & Black  
Buy in full set or individually




**No Water Needed!** Great for on the job polishing where water is not possible. This 4" pad has a unique honeycomb design with Velcro mounting.  
**Tested & proven to provide better results at a better price**




| Item #     | Description                            |
|------------|----------------------------------------|
| GP4DRYSET  | 4" Dry Diamond Pad Set 9pc.            |
| GP4DRY50   | 4" Dry Diamond Pad 50 Grit             |
| GP4DRY100  | 4" Dry Diamond Pad 100 Grit            |
| GP4DRY200  | 4" Dry Diamond Pad 200 Grit            |
| GP4DRY400  | 4" Dry Diamond Pad 400 Grit            |
| GP4DRY800  | 4" Dry Diamond Pad 800 Grit            |
| GP4DRY1500 | 4" Dry Diamond Pad 1500 Grit           |
| GP4DRY3000 | 4" Dry Diamond Pad 3000 Grit           |
| GP4DBUFFB  | 4" Dry Final Buff Black                |
| GP4DBUFFW  | 4" Dry Final Buff White                |
| GP4BACKUF  | 4" Ultra Flexible Backer Pad w/ Velcro |
| GP4BACKF   | 4" Flexible Backer Pad w/ Velcro       |
| GP4BACKA   | 4" Aluminum Backer Pad w/ Velcro       |


# Wet Polishing Pads



**Grits Available:**  
50, 80, 150, 300, 500, 1000,  
2000, 3000 and Final Buff  
8 pc. Wet Kit includes:  
50, 80, 150, 300, 500, 1000,  
2000 & 3000



Use with our backer pads



Stone fabrication shops prefer this brand all over the world.

These polishing pads are designed to bring your stone work to a fine polish. Works great on most materials especially granite. They have a thick durable Velcro backing which is important for long life. They are extremely flexible for concave and corner shapes.

| Item #     | Description                            |
|------------|----------------------------------------|
| GP4WETSET  | 4" Wet Diamond Pad Set 8pc.            |
| GP4WET50   | 4" Wet Diamond Pad 50 Grit             |
| GP4WET80   | 4" Wet Diamond Pad 80 Grit             |
| GP4WET150  | 4" Wet Diamond Pad 150 Grit            |
| GP4WET300  | 4" Wet Diamond Pad 300 Grit            |
| GP4WET500  | 4" Wet Diamond Pad 500 Grit            |
| GP4WET1000 | 4" Wet Diamond Pad 1000 Grit           |
| GP4WET2000 | 4" Wet Diamond Pad 2000 Grit           |
| GP4WET3000 | 4" Wet Diamond Pad 3000 Grit           |
| GP4WBUFFB  | 4" Wet Final Buff Black                |
| GP4WBUFFW  | 4" Wet Final Buff White                |
| GP4BACKUF  | 4" Ultra Flexible Backer Pad w/ Velcro |
| GP4BACKF   | 4" Flexible Backer Pad w/ Velcro       |
| GP4BACKA   | 4" Aluminum Backer Pad w/ Velcro       |

- Velcro back for easy changeover
- Water use required
- Applications:
  - Granite
  - Marble
  - Limestone
  - Terrazzo
  - Travertine
  - Ceramic
  - Composites
  - and more
- Recommended RPM: 2000 - 3500



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)

# Rockin' Red

## DRESSING STONE



**Shatter resistant  
rubber bond**



**Cut into the stone to sharpen  
diamond products**



The Rockin' Red Dressing Stone has a higher concentration of Alumina (Aluminum Oxide), which is proven to be the main component in sharpening and maintaining your sintered diamond products.

- Higher concentration of aluminum oxide
- With just a few passes into our stone you will notice faster, cleaner cuts
- Sharpen & reactivate glazed over sintered diamond products such as:
  - Wet or dry diamond blades
  - Diamond core bits
  - Diamond grinding wheels
- Rockin' Red brings your blades back from the dead!




| Item #    | Description                                    | Case Qty |
|-----------|------------------------------------------------|----------|
| DSRR      | Rockin' Red Dressing Stone                     | 10       |
| DSDISPLAY | Rockin' Red Display Case w/ 10 Dressing Stones | 1        |

# Mean Green

## DRESSING STONE



**Super abrasive alumina**



**With just a few passes into  
our stone you will notice  
faster, cleaner cuts**



Research has proven that glazed over diamond tools can be re-conditioned faster with a higher concentration of aluminum oxide. This stone has been tested by us and has shown to be the fastest dressing we've ever experienced.



- Highest concentration of aluminum oxide available today
- Sharpen & reactivate glazed over sintered diamond products such as:
  - Wet or Dry Diamond Blades
  - Diamond Core Bits or Hole Saws
  - Diamond Grinding Wheels
- The "Mean Green" makes your diamonds cut clean!



| Item #      | Description                                   | Case Qty |
|-------------|-----------------------------------------------|----------|
| DSMG        | Mean Green Dressing Stone                     | 12       |
| DSMGDISPLAY | Mean Green Display Case w/ 12 Dressing Stones | 1        |



All products shown are backed by the Russo Trading Company Shield of Approval.

**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**




# T<sup>3</sup> Razor

## THE TRIPLE THREAT



With Porcelain getting harder it is easy to see why our T3 Razor has been our #1 selling blade for over 10 years!



Note the thickness of the core



\* Special arbor sizes available upon request

### Three Reasons to Use the T3 Razor:

#### Faster Cuts

The thinner the rim the faster the cut because less material is removed. This is the thinnest blade we've ever produced!

#### Extreme Precision

The "super core" technology allows the blade to track precisely straight cut after cut!

#### Reduced Noise

The "super core" sandwiches the blade which limits vibration and reduces the noise level!

| Item # | Description                | Arbor | Case Qty |
|--------|----------------------------|-------|----------|
| DB10T3 | 10" x .050" T3 Razor Blade | 5/8"  | 5        |
| DB12T3 | 12" x .060" T3 Razor Blade | 1"    | 2        |

# Porcelain Razor

## DIAMOND BLADE



The specially designed relief cuts help to keep the blade cool.



Blade Thickness .060



### Porcelain's Hot!

It's also extremely hard to cut. Now more than ever, we need to update our equipment to handle this really dense material. The Porcelain Razor Blade will offer faster cutting and longer life on hard porcelain or granite tile while maintaining a perfectly smooth cut. Available Sizes: 4" Dry, 4<sup>1/2</sup>" Dry, 7", 8", 10", 12"

\* Special arbor sizes available upon request

| Item #  | Description                              | Arbor           | Case Qty |
|---------|------------------------------------------|-----------------|----------|
| DB4RAZ  | 4" Porcelain Razor Blade                 | 5/8", 20mm 7/8" | 10       |
| DB45RAZ | 4 <sup>1/2</sup> " Porcelain Razor Blade | 5/8", 20mm 7/8" | 10       |
| DB7RAZ  | 7" Porcelain Razor Blade                 | 5/8"            | 5        |
| DB8RAZ  | 8" Porcelain Razor Blade                 | 5/8"            | 5        |
| DB10RAZ | 10" Porcelain Razor Blade                | 5/8"            | 5        |
| DB12RAZ | 12" Porcelain Razor Blade                | 5/8"            | 2        |



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



**Comes in a ready to display package**



**Blade thickness: .060  
Rim Height: 10mm**



The Rock Star Diamond Blade is our newest general purpose tile blade designed to outlast and outperform competitors in its class. The super tall segment paired with a fine diamond concentration helps to eliminate chipping by releasing more diamond for extended periods of time. This is a show you don't want to miss!

| Item #   | Description                    | Case Qty |
|----------|--------------------------------|----------|
| DB4ROCK  | 4" Rock Star Diamond Blade     | 10       |
| DB45ROCK | 4 1/2" Rock Star Diamond Blade | 10       |
| DB7ROCK  | 7" Rock Star Diamond Blade     | 10       |
| DB10ROCK | 10" Rock Star Diamond Blade    | 10       |

High-Fidelity diamond blades tested & proven to cut hard material.

### Top Hits:

- Porcelain • Granite
- Ceramic • Marble

# Glass Master

## LASER SERIES DIAMOND BLADE



**Specially formulated finer grit diamond matrix for smooth cuts**



### Cutting Glass Tile? No Problem!

The Glass Master Laser Series is one of the thinnest, fastest, and smoothest cutting glass blades available today. By making improvements based on its predecessors success, the Glass Master Laser Series should be your ONLY choice when deciding on a blade to cut today's most demanding glass tile. Whether it be translucent painted back, glass mosaic, laminated, or decorative glass...the Glass Master Laser Series will zap right through it!

\* Special arbor sizes available upon request

| Item # | Description                               | Arbor            | Case Qty |
|--------|-------------------------------------------|------------------|----------|
| DB4GM  | 4" x .050" Glass Master Diamond Blade     | 5/8", 20mm, 7/8" | 10       |
| DB45GM | 4 1/2" x .050" Glass Master Diamond Blade | 5/8", 20mm, 7/8" | 10       |
| DB7GM  | 7" x .050" Glass Master Diamond Blade     | 5/8"             | 5        |
| DB8GM  | 8" x .050" Glass Master Diamond Blade     | 5/8"             | 5        |
| DB10GM | 10" x .050" Glass Master Diamond Blade    | 5/8"             | 5        |



**Crystal clean cuts on most glass tiles. A revolution in diamond technology!**




All products shown are backed by the Russo Trading Company Shield of Approval.


**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**



# THE *Shield* THIN RIMMED TURBO DIAMOND BLADE



**Shield diamond segment cuts smooth and fast**



**Thin rim design removes less material**



## ***The RTC Shield... move to the front of the line!***

Slow cuts? Too much chipping? The new Shield Thin Rimmed Turbo from RTC Products is the answer! It is equipped with an aggressive yet smooth cutting diamond segment allowing for faster and cleaner cuts. Boasting a raised hub for stability and cooling holes to dissipate heat, the results will floor you!

\* Special arbor sizes available upon request

| Item #     | Description                 | Arbor      | Case Qty |
|------------|-----------------------------|------------|----------|
| DB4SHIELD  | 4" x .055" Shield Turbo     | 5/8", 7/8" | 10       |
| DB45SHIELD | 4-1/2" x .060" Shield Turbo | 5/8", 7/8" | 10       |
| DB5SHIELD  | 5" x .080" Shield Turbo     | 5/8", 7/8" | 10       |

# *Sigma Blade* 4-1/2" WET OR DRY



**Ideal for miter cuts with Jolly Edge**



**Installers choice for everyday cutting**



Italian quality turbo rim blade for materials 6mm to 25mm thick. Best performance on porcelain, Dekton and ceramic. Can be used wet or dry.



Italian made continuous rim blade for material 3mm-12mm thick. Best performance on porcelain glazed tiles, Dekton and ceramic.



Ideal for miters on gauged panels from 3mm-12mm. For best results pair with Jolly Edge (37A2PD).

| Item # | Description                  | Case Qty |
|--------|------------------------------|----------|
| 75B    | 4-1/2" Turbo Rim Blade       | 10       |
| 75C    | 4-1/2" Continuous Rim Blade  | 10       |
| 75C3   | 4-1/2" Precision Miter Blade | 10       |



All products shown are backed by the Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**

### Fast! Precise!

The RTC Hole Shot is a porcelain core bit designed to be used with minimal to no water on a grinder with a 5/8-11 threaded spindle. These bits offer the ability to cut dry for up to 40 holes per bit. The vacuum brazed diamond will cut clean on a variety of materials including porcelain, granite, marble, and more.



High quality diamond segment



Equipped with Cooling holes



Foam lined plastic carrying case keeps bits organized



Use with right angle grinder with 5/8"- 11 Thread



Check out our full line of bits

### 7 Piece Dry Bit Small Kit Contains:

- (2 pc.) 1/4" (6mm)
- (2 pc.) 5/16" (8mm)
- (1 pc.) 3/8" (10mm)
- (1 pc.) 1/2" (12mm)
- (1 pc.) 9/16" (14mm)

### 6 Piece Dry Bit Small Kit Contains:

- (1 pc.) 3/4" (20mm)
- (1 pc.) 1 3/8" (35mm)
- (1 pc.) 1 1/2" (40mm)
- (1 pc.) 2" (50mm)
- (1 pc.) 2 1/4" (55mm)
- (1 pc.) 2 3/4" (68mm)



| Item #   | Description                                                 | Case Qty. |
|----------|-------------------------------------------------------------|-----------|
| HSHTKITS | Hole Shot Dry Core Bit Small (7 Piece Kit w/ Carrying Case) | 1         |
| HSHTKITL | Hole Shot Dry Core Bit Large (6 Piece Kit w/ Carrying Case) | 1         |
| HSHT14T  | 1/4" (6mm) Hole Shot Dry Core Bit                           | 10        |
| HSHT516T | 5/16" (8mm) Hole Shot Dry Core Bit                          | 10        |
| HSHT38T  | 3/8" (10mm) Hole Shot Dry Core Bit                          | 10        |
| HSHT12T  | 1/2" (12mm) Hole Shot Dry Core Bit                          | 10        |
| HSHT916T | 9/16" (14mm) Hole Shot Dry Core Bit                         | 10        |
| HSHT34T  | 3/4" (20mm) Hole Shot Dry Core Bit                          | 5         |
| HSHT138T | 1-3/8" (35mm) Hole Shot Dry Core Bit                        | 5         |
| HSHT112T | 1-1/2" (40mm) Hole Shot Dry Core Bit                        | 5         |
| HSHT2T   | 2" (50mm) Hole Shot Dry Core Bit                            | 5         |
| HSHT214T | 2-1/4" (55mm) Hole Shot Dry Core Bit                        | 5         |
| HSHT234T | 2-3/4" (68mm) Hole Shot Dry Core Bit                        | 5         |
| HSHT3T   | 3" (76mm) Hole Shot Dry Core Bit                            | 5         |



All products shown are backed by the Russo Trading Company Shield of Approval.


Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



# Hole Shot

## DRY HOLE SAW & DRILL GUIDE KIT


Dry Cut Series



No water needed



Dip in water to extend bit life



Anti-spin hex shaped shank



Petroleum wax filled  
cooling in core



We offer a full line of bits



No  
water  
needed

### 6 Piece Dry Diamond Drill Kit with Suction Drill Guide

#### Kit Contains:

- (2 pc.) 1/4" (6mm)
- (1 pc.) 1/2" (12mm)
- (1 pc.) 5/16" (8mm)
- (1 pc.) Drill Guide
- (1 pc.) 3/8" (10mm)
- (1 pc.) Case

## Dry Series Hole Shot Diamond Drill Bit

These bits are the latest in dry cut diamond technology. Great for a variety of material such as hard porcelain, quarry, slate, ceramic, marble, travertine & granite.

Life expectancy up to 30 holes without water.

- For use when water is limited or not an option
- New Vacuum Brazed Dry Diamond Technology
- Ideal sizes for grab bars, towel racks and shower door installations
- Use with handheld drill (800-2500 RPM) or drill press




Individual replacement bits sold separately in a ready to display clam-shell package.



| Item #    | Description                          | Case Qty |
|-----------|--------------------------------------|----------|
| HSBSDKIT  | Hole Shot Dry Series 6 Piece Kit     | 1        |
| HSBSGUIDE | Hole Shot Dry Series Drill Guide     | 5        |
| HSBS14D   | 1/4" (6mm) Hole Shot Dry Series Bit  | 5        |
| HSBS516D  | 5/16" (8mm) Hole Shot Dry Series Bit | 5        |
| HSBS38D   | 3/8" (10mm) Hole Shot Dry Series Bit | 5        |
| HSBS12D   | 1/2" (12mm) Hole Shot Dry Series Bit | 5        |



All products shown are backed by the  
Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



**Drill up to 50 holes per bit**



**Drill through hard material quick & easy with precise cutting ability, even close to the tile edge in the corner**



**Sizes ranging from 1/8" to 6"**



**Fast, clean hole drilling**



**We offer a full line of bits**

**RTC Products brings you the greatest hole saw to hit the market!** Use with water.




**Professional quality! Cleanest cutting bit we offer. Best on glass tile.**  
Wet use only w/ drill at low speed



**Convenient ready to display packaging**

If you're looking to bore holes in hard porcelain, glass, or granite tiles look no further! The Porcelain Pro bit stands out from its competition by offering up to **50 holes** per bit! The electroplated diamond grinds through the material leaving you with a clean, fast and precise hole.



| Item #  | Description                     | Case Qty |
|---------|---------------------------------|----------|
| HSPB18  | 1/8" RTC Pro Bit Hole Saw Wet   | 6        |
| HSPB316 | 3/16" RTC Pro Bit Hole Saw Wet  | 6        |
| HSPB14  | 1/4" RTC Pro Bit Hole Saw Wet   | 6        |
| HSPB516 | 5/16" RTC Pro Bit Hole Saw Wet  | 6        |
| HSPB38  | 3/8" RTC Pro Bit Hole Saw Wet   | 6        |
| HSPB12  | 1/2" RTC Pro Bit Hole Saw Wet   | 6        |
| HSPB34  | 3/4" RTC Pro Bit Hole Saw Wet   | 6        |
| HSPB1   | 1" RTC Pro Bit Hole Saw Wet     | 6        |
| HSPB114 | 1-1/4" RTC Pro Bit Hole Saw Wet | 6        |
| HSPB138 | 1-3/8" RTC Pro Bit Hole Saw Wet | 6        |
| HSPB112 | 1-1/2" RTC Pro Bit Hole Saw Wet | 6        |
| HSPB134 | 1-3/4" RTC Pro Bit Hole Saw Wet | 6        |
| HSPB2   | 2" RTC Pro Bit Hole Saw Wet     | 6        |
| HSPB214 | 2-1/4" RTC Pro Bit Hole Saw Wet | 6        |
| HSPB212 | 2-1/2" RTC Pro Bit Hole Saw Wet | 6        |
| HSPB3   | 3" RTC Pro Bit Hole Saw Wet     | 6        |
| HSPB312 | 3-1/2" RTC Pro Bit Hole Saw Wet | 6        |
| HSPB4   | 4" RTC Pro Bit Hole Saw Wet     | 6        |
| HSPB414 | 4-1/4" RTC Pro Bit Hole Saw Wet | 6        |
| HSPB438 | 4-3/8" RTC Pro Bit Hole Saw Wet | 6        |
| HSPB412 | 4-1/2" RTC Pro Bit Hole Saw Wet | 6        |
| HSPB5   | 5" RTC Pro Bit Hole Saw Wet     | 6        |
| HSPB6   | 6" RTC Pro Bit Hole Saw Wet     | 6        |



All products shown are backed by the  
Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**



# Hole Saws & Kits

DRY OR WET DIAMOND TURBO



Equipped with cooling holes



Sizes ranging from 1/2" to 3"



Easy to transport case with 6 Hole Saws & Dressing Stone (Dimensions 8" x 10-1/2")



Pilot bits included on 1" and larger



We offer a full line of bits



These diamond hole saws can be used either wet or dry to drill holes through a wide variety of tile and stone materials. The high quality diamond segment has the ability to cut perfect holes in some of today's most demanding materials. What a convenience! All 6 size hole saws with an awesome Dressing Stone at a huge savings. Keep all your most popular hole saws all together in one case.

- Hole Saw Kit comes with:  
1", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2" & the Rockin' Red Dressing Stone
- Choose from the many sizes to best fit your hole drilling needs. All bit sizes also sold individually.
- Use wet or dry w/ drill at high speed on stone

| Item #  | Description                          | Case Qty |
|---------|--------------------------------------|----------|
| HSDT12  | 1/2" Diamond Hole Saw (no pilot bit) | 3        |
| HSDT34  | 3/4" Diamond Hole Saw (no pilot bit) | 3        |
| HSDT1   | 1" Diamond Hole Saw w/ pilot bit     | 3        |
| HSDT118 | 1-1/8" Diamond Hole Saw w/ pilot bit | 3        |
| HSDT114 | 1-1/4" Diamond Hole Saw w/ pilot bit | 3        |
| HSDT138 | 1-3/8" Diamond Hole Saw w/ pilot bit | 3        |
| HSDT112 | 1-1/2" Diamond Hole Saw w/ pilot bit | 3        |
| HSDT134 | 1-3/4" Diamond Hole Saw w/ pilot bit | 3        |
| HSDT2   | 2" Diamond Hole Saw w/ pilot bit     | 3        |
| HSDT214 | 2-1/4" Diamond Hole Saw w/ pilot bit | 3        |
| HSDT212 | 2-1/2" Diamond Hole Saw w/ pilot bit | 3        |
| HSDT3CR | 3" Diamond Hole Saw w/ pilot bit     | 3        |
| HSKIT   | Diamond Hole Saw Kit (7 Piece)       | 1        |
| DSRR    | Rockin Red Dressing Stone            | 12       |



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)

# Sigma Work Table



**Leg mounted hooks to hold Kera-Cut**



**Clamp your work piece for safety during fabrication**



**Shown with additional planks\***



**Spacers to raise work piece for cutting or drilling**



**Jolly Edge mounts directly to surface**



**Connect two benches for even more working space**



**Easily collapse for transport**



The Sigma Work Table is a necessity when installing Gauged Porcelain Tile Panels. Its aluminum construction offers great support, while being light weight and easy to transport. Connect two sections for an amazing 60" x 142" of work surface! The slats can be placed at any position to accommodate unique situations.

- Folding legs for easy setup and breakdown
- Most surface area of any table in the category
- Plank design allows other Sigma items like KeraCut, Jolly Edge, etc. to be attached
- Lightest assembly in its class
- Planks can be positioned anywhere to make a solid surface or wider opening
- Additional planks available

| Item # | Description                                         | Case Qty |
|--------|-----------------------------------------------------|----------|
| 63FKIT | Contains (2) ST63F, (2) ST400, (1) ST402, (1) ST409 | 1        |
| 63F    | Sigma Work Table 60" x 70" (150cm x 180cm)          | 1        |
| 400    | Sigma Tile Clamps for 63F (set of 2)                | 1        |
| 402    | Sigma Hooks to Hang Kera-Cut                        | 1        |
| 409    | Sigma Work Table Spacers for 63F (set of 50)        | 1        |


\*Additional planks available upon request



All products shown are backed by the Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**




# Sigma Kera-Cut




**Carriage slides on stainless steel tracks w/ ball bearings**




**Two-handed scoring provides optimum pressure**



**Suction cups stay secure even on rough surfaces**



**Sigma Separator shown in operation**




**Shown using Kera-Cut Mounting Brackets (38F5)**



**Shown with optional Kera-Flex accessory for plunge & L cuts**



**Water Kit Cooling System  
Shown w/ Kera-Flex**



**Kera-Cut Mounting Brackets**



**Kera-Cut Accessory Kit**

- **Lightweight aluminum construction**
- **Stainless Steel guides and rollers result in ultra smooth travel**
- **Split rail design for easy transport**
- **Can be fixed directly to the material with suction cups**
- **Unique scoring wheel with ball bearing specifically designed for the application**
- **Soft rubber-faced suction cups**

| Item #  | Description                                           | Case Qty |
|---------|-------------------------------------------------------|----------|
| 8AE2    | Sigma Kera-Cut 130" Two Piece Rail (332cm)            | 1        |
| 8AEP2   | Sigma Kera-Cut Extension 20" (50cm)                   | 1        |
| 38F5    | Sigma Kera-Cut Mounting Brackets                      | 1        |
| 38F11PD | Sigma Kera-Flex Grinder Attachment (5/8" - 11 thread) | 1        |
| 41D     | Sigma Separator                                       | 2        |
| 14G     | Sigma Kera-Cut Scoring Wheel                          | 10       |
| 87E4    | Sigma Water Kit Cooling System                        | 1        |



All products shown are backed by the  
Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**


# Sigma Kera-Lift



**Strong locking suction cups even on rough material**



**Safe fall protection mounted on the long & short side**




**Optional Retractable handles for gripping**



**Transport kit for Kera-Lift 1A4 & 1A5 (421)**



**Anti-fall safety device**



**1A5**




x 6



x 6



x 4



**1A4**



x 2



x 6




x 4

**Use for Handling & Installing Gauged Porcelain Tile Panels**



**Examples of configurations**



- Extremely versatile with amazing durability
- Can adapt to virtually any configuration
- Soft rubber suction cups will adhere to most materials
- Adjustable rubber feet aid in vertical installations

| Item # | Description                                                                              | Case Qty |
|--------|------------------------------------------------------------------------------------------|----------|
| 1A5    | Kera-Lift Full Frame 134" x 63" (340 x 160cm)<br>(6 Vacuum Cups with gauge)              | 1        |
| 1A4    | Kera-Lift Full Frame 134" x 63" (340 x 160cm)<br>(2 Vacuum Cups, 6 Handle Suctions Cups) | 1        |
| 1D2    | Kera-Lift Single 70" - 125" (180-320cm)                                                  | 1        |
| 421    | Kera-Lift Transport Kit Carriage                                                         | 1        |
| 424    | Kera-Lift Adjustable Handles                                                             | 1        |



All products shown are backed by the Russo Trading Company Shield of Approval.

**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**



# Sigma Jolly Edge




**Vacuum port for use when dry cutting**




**Use optional mounting kit for smaller format work**




**Shown with NEW optional Water Cooling Kit (87E4)**



**Ergonomic handles make it easier to maneuver**



**Setup for miter**  
\* Grinder not included




**Perform Miter Cuts**



**Miter**



**Bullnose**



**Perform Bullnose Cuts**



**Setup for bullnose**  
\* Grinder not included

\*Jolly Angle will attach to any angle grinder (not included)

The Jolly Edge machine is designed for creating a perfect uniform miter or bullnose edge on tile material, even large format material. In a single pass you can easily perform a miter or bullnose cut on material from 5mm up to 20mm in thickness. The Jolly Edge can be adjusted to any angle between 40° and 50°. Add a diamond grinding wheel to perform a 6mm, 8mm, or 10mm bevel.

## Included Accessories



**Turbo rim blade for material 8mm to 20mm thick**

## Optional Accessories



**Continuous rim blade for material 5mm to 8mm thick**



**Ideal for miters on gauged panels from 3mm-12mm. For best results pair with Jolly Edge (37A2PD).**



**6mm, 8mm or 10mm bullnose radius Grinding Wheel.**  
\*Includes a dressing stone



**Optional mounting kit for baseboard tile**

| Item # | Description                    |
|--------|--------------------------------|
| 37A2PD | Sigma Jolly Edge Grinder Att.  |
| 37C    | Sigma Jolly Edge Mounting Kit  |
| 75B    | 4-1/2" Turbo Rim Blade         |
| 75C    | 4-1/2" Continuous Rim Blade    |
| 75C3   | 4-1/2" Precision Miter Blade   |
| 72V06S | 6mm Bullnose Grinding Wheel    |
| 72V08S | 8mm Bullnose Grinding Wheel    |
| 72V10S | 10mm Bullnose Grinding Wheel   |
| 87E4   | Sigma Water Kit Cooling System |




All products shown are backed by the Russo Trading Company Shield of Approval.


**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**

# Corner Protectors

FOR GAUGED PORCELAIN  
TILE PANELS



Accommodates material up to 6mm (1/4") thick and are made of resilient plastic




On gauged porcelain tile panels, the corners are the most at risk of being damaged. Make sure you are covered by using the RTC Corner Protectors.  
• 6mm (1/4") Thickness



| Item #  | Description                      | Case Qty |
|---------|----------------------------------|----------|
| STCP6MM | Corner Protectors (6mm) - 8 pack | 10       |

# Sigma Separator



Snap scored tiles with ease



The Sigma Separator is a must have for any Gauged Porcelain Tile Panel (GTP) installation. Its screw down design applies greater breaking power with less effort, making cuts easier to handle.

| Item # | Description     | Case Qty |
|--------|-----------------|----------|
| 41D    | Sigma Separator | 2        |

# Sigma Scoring Pliers



Integrated scoring wheel



The Sigma Scoring Pliers are an integral part of a GTP installation. They are perfect for making intricate and oddly shaped cuts. This is also a great tool for cutting mosaics.


| Item # | Description          | Case Qty |
|--------|----------------------|----------|
| 41C    | Sigma Scoring Pliers | 6        |



All products shown are backed by the Russo Trading Company Shield of Approval.

Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)






**Single bar design for accuracy & strength**



**Adjustable measuring bar**




**11 ball bearings for smoothness & accuracy**



**Cantilever breaking system provides more power**



**Durable convenient carrying bag**



The RTC Razor Pro combines multiple elements of European technology. You want the best of the best? Here it is! The unique cutting head sports 11 internal ball bearings for a smooth, precise movement across the rail. A rear mounted scoring wheel improves vision of the score line all the way through the cut. The cantilever breaking design applies greater force with less effort, reducing material damage when engaging.



- Unique cutting head houses 11 ball bearings
- 22mm scoring wheel works well on a variety of surfaces including textured tile
- Cantilever breaking system makes snapping tile easy
- Single steel bar for incredible precision
- Spring loaded tables reduce impact
- Fold out support arms on each side support large and heavy material

| Item #  | Description                              | Cut Length /Diagonal      | Weight   |
|---------|------------------------------------------|---------------------------|----------|
| TC26PRO | 26" RTC Razor Pro                        | 26" (68 cm) / 18" (48cm)  | 28 lbs.  |
| TC31PRO | 31" RTC Razor Pro                        | 31" (80cm) / 22" (56cm)   | 31 lbs.  |
| TC36PRO | 36" RTC Razor Pro                        | 36" (90cm) / 24" (60cm)   | 38 lbs.  |
| TC52PRO | 52" RTC Razor Pro                        | 52" (132cm) / 36" (91cm)  | 78 lbs.  |
| TC63PRO | 63" RTC Razor Pro <b>NEW</b>             | 63" (250cm) / 56" (144cm) | 100 lbs. |
| TCBAG   | Razor Pro Carrying Bag (up to 36")       |                           |          |
| TC22R   | Razor Pro 22mm Replacement Scoring Wheel |                           |          |




All products shown are backed by the Russo Trading Company Shield of Approval.  
**Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)**

# Sigma Tecnica PULL TILE CUTTER




**Tecnica Pull Handle**



**Rotate the guide to cut on a 45°**

The Tecnica tile cutter is the more narrow and compact version of the Sigma product line. These cutters are ideal for installations in tight spaces or when working with smaller tile. The measuring bar pivots +/-45° making it easy to adjust to cuts on the opposite side of a room.



\*Measuring bar will be imperial (except 7F)

| Item # | Description                             | Cut Length /Diagonal  | Weight  |
|--------|-----------------------------------------|-----------------------|---------|
| 7F     | Sigma (7F) 14" Pull Handle Tile Cutter  | 14" (37cm)/10" (26cm) | 5 lbs.  |
| 2G     | Sigma (2G) 14" Pull Handle Tile Cutter  | 14" (37cm)/10" (26cm) | 6 lbs.  |
| 2B3    | Sigma (2B3) 26" Pull Handle Tile Cutter | 26" (68cm)/18" (46cm) | 15 lbs. |

See cutter accessories on page 56 & 57

# Sigma Series 3 PULL TILE CUTTER




**Series 3 Pull Handle**



**3L shown with Mosaic Kit**

The Series 3 is the flagship model in the Sigma offering. This is the best all around cutter for day to day applications, and is available in cut lengths from 22" (55cm) up to 36" (95cm). The pull style cutter is the fastest and most efficient way to cut a tile today. Simply pull the handle toward you to score the material, then a quick pop of the handle with the breaker feet positioned within two inches of the measuring bar and your cut is complete. Ideal for cutting ceramic and porcelain up to 3/4" (19mm) thick.



See cutter accessories on page 56 & 57


| Item # | Description                                                          | Cut Length /Diagonal    | Weight  |
|--------|----------------------------------------------------------------------|-------------------------|---------|
| 3L     | Sigma (3L) 22" Pull Handle Tile Cutter                               | 22" (55cm)/15" (38cm)   | 18 lbs. |
| 3B4    | Sigma (3B4) 26" Pull Handle Tile Cutter                              | 26" (67cm)/18.5" (47cm) | 22 lbs. |
| 3C2    | Sigma (3C2) 30" Pull Handle Tile Cutter                              | 30" (77cm)/21" (54cm)   | 25 lbs. |
| 3D4    | Sigma (3D4) 37" Pull Handle Tile Cutter                              | 37" (95cm)/26" (67cm)   | 28 lbs. |
| 64B    | Sigma Mosaic Kit for 3L (Includes: mosaic tables & 14M mosaic wheel) |                         |         |



All products shown are backed by the Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



# Sigma Series 3 Max PUSH TILE CUTTER




**Max Series Push Handle**



**Smooth push cutting action on ceramic, porcelain & glass tile**

The Series 3 Max cutter shares many attributes of the pull version. The main difference is the Max handle is a push style, offering greater leverage, a farther reach, and a spring loaded ball bearing scoring wheel that self-adjusts to surface texture. With over 2600 lbs. of breaking power, there's not much this machine won't cut!



| Item # | Description                           | Cut Length /Diagonal      | Weight  |
|--------|---------------------------------------|---------------------------|---------|
| 3B4M   | Sigma Max (3B4M) 24" Push Tile Cutter | 24" (62.5cm)/17" (44.1cm) | 23 lbs. |
| 3C3M   | Sigma Max (3C3M) 29" Push Tile Cutter | 29" (72.5cm)/20" (51.3cm) | 26 lbs. |
| 3D4M   | Sigma Max (3D4M) 36" Push Tile Cutter | 36" (90.5cm)/25" (64cm)   | 29 lbs. |
| 3E4M   | Sigma Max (3E4M) 51" Push Tile Cutter | 51" (127.4cm)/35" (90cm)  | 47 lbs. |
| 3F4M   | Sigma Max (3F4M) 60" Push Tile Cutter | 60" (156cm)/43" (110.3cm) | 77 lbs. |

See cutter accessories on page 56 & 57

# Sigma XL Max PUSH TILE CUTTER




**Oversized handle for extra strength**



**Spring loaded scoring wheel ideal for all surfaces**

The XL Max is the largest fixed base manual tile cutter being produced in the world. With cut lengths of 80" (205cm) and 96" (245cm), extra long plank tile becomes a breeze to cut in a straight line. Ditch the grinder for long rip cuts!



See cutter accessories on page 56 & 57

| Item # | Description                              | Cut Length /Diagonal    | Weight  |
|--------|------------------------------------------|-------------------------|---------|
| 12D1   | Sigma XL Max (12D1) 80" Push Tile Cutter | 80" (205cm)/56" (144cm) | 79 lbs. |
| 12E1   | Sigma XL Max (12E1) 96" Push Tile Cutter | 96" (245cm)/68" (173cm) | 86 lbs. |



All products shown are backed by the Russo Trading Company Shield of Approval.

Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)

# Sigma Parts & Accessories



**Cutter display rack - TC95E**



**Tile cutter bag with wheels**



**Genuine factory parts**



**Replacement clamp knobs**



**Replacement end camp**

## Sigma Part - Tile Cutter

Keep your cutter in top shape with these genuine Sigma replacement parts.

| Cutter Model | Scoring Wheel | Handle | Support Bearing | Measuring Bar | Rip Guide | End Caps |  |
|--------------|---------------|--------|-----------------|---------------|-----------|----------|--|
| 7F           | 14A, 14M*     | 24F    | 10144           | N/A           | 19F       | N/A      |  |
| 2G           | 14A, 14M*     | 24F    | 10144           | 90DG          | 19C       | N/A      |  |
| 2A3          | 14A, 14M*     | 24C    | 10144           | 90D3P         | 19B3      | N/A      |  |
| 2B3          | 14A, 14M*     | 24C    | 10144           | 90D3P         | 19B3      | N/A      |  |
| 3L           | 14A, 14M*     | 24E    | 10144           | 90LA          | 19D       | 20B      |  |
| 3B4          | 14A, 14M*     | 24E    | 10144           | 90LB          | 19D       | 20B      |  |
| 3B4M         | 14MX          | 24M08X | 10166           | 90LB          | 19D       | 20B      |  |
| 3C2          | 14A, 14M*     | 24AE   | 10144           | 90LC          | 19D       | 20B      |  |
| 3C3M         | 14MX          | 24M10X | 10166           | 90LC          | 19D       | 20B      |  |
| 3D2          | 14A, 14M*     | 24AE   | 10144           | 90LD          | 19D       | 20B      |  |
| 3D4M         | 14MX          | 24M10X | 10166           | 90LD          | 19D       | 20B      |  |
| 3E4M         | 14MX          | 24M15X | 10166           | 90LE          | 19D       | 20B      |  |
| 3F4M         | 14MX          | 24M20X | 10166           | 90LE          | 19D       | 20B      |  |
| 12D1         | 14X           | 24XL   | N/A             | 90LG          | 19D       | N/A      |  |
| 12E1         | 14X           | 24XL   | N/A             | 90LG          | 19D       | N/A      |  |

\* Scoring wheel for mosaic tile

## Sigma Accessories - Non Tile Cutter Parts

| Item # | Description                              |
|--------|------------------------------------------|
| 95E    | Sigma Display Rack                       |
| 43D1   | Sigma Tile Cutter Bag w/ Wheels for 3D3M |
| 43E1   | Sigma Tile Cutter Bag w/ Wheels for 3E4M |



All products shown are backed by the  
Russo Trading Company Shield of Approval.

Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



# Sigma Parts & Accessories

Tile cutter parts continued from previous left hand page.

| Clamp Knob | Nuts    | Steel Bar/Rails | Breaker Feet | Tables                                           | Springs for Tables | Support Arms                    | Rubber Base Feet |
|------------|---------|-----------------|--------------|--------------------------------------------------|--------------------|---------------------------------|------------------|
| N/A        | N/A     | 39H             | 104039       | 108814                                           | 106516             | N/A                             | N/A              |
| 108616     | N/A     | 39H             | 104039       | 108814                                           | 106516             | N/A                             | 106731           |
| 108612     | N/A     | N/A             | N/A          | 108813                                           | 106516             | 106512                          | N/A              |
| 108612     | N/A     | 39E             | N/A          | 108813                                           | 106516             | 106512                          | N/A              |
| 108621     | 1079104 | N/A             | 104033       | 108823(LEFT)<br>108824(RIGHT)                    | 106516             | 104064 (LEFT)<br>104065 (RIGHT) | 106725           |
| 108621     | 1079104 | 39L             | 104033       | 108817(LEFT)<br>108818(RIGHT)                    | 106516             | 104064 (LEFT)<br>104065 (RIGHT) | 106725           |
| 108621     | 1079104 | 39L             | 104058       | 108817(LEFT)<br>108818(RIGHT)                    | 106516             | 104064 (LEFT)<br>104065 (RIGHT) | 106725           |
| 108621     | 1079104 | 39M             | 104033       | 108817(LEFT)<br>108818(RIGHT)                    | 106516             | 104064 (LEFT)<br>104065 (RIGHT) | 106725           |
| 108621     | 1079104 | 39M             | 104058       | 108817(LEFT)<br>108818(RIGHT)                    | 106516             | 104064 (LEFT)<br>104065 (RIGHT) | 106725           |
| 108621     | 1079104 | 39N             | 104033       | 108817(LEFT)<br>108818(RIGHT)                    | 106516             | 104064 (LEFT)<br>104065 (RIGHT) | 106725           |
| 108621     | 1079104 | 39N             | 104058       | 108817(LEFT)<br>108818(RIGHT)                    | 106516             | 104064 (LEFT)<br>104065 (RIGHT) | 106725           |
| 108621     | 1079104 | 39P             | 104058       | 108817(LEFT)<br>108818(RIGHT)                    | 106516             | 104064 (LEFT)<br>104065 (RIGHT) | 106725           |
| 108621     | 1079104 | N/A             | 104058       | 108817 (LEFT)<br>108818 (RIGHT)                  | 106516             | 104064 (LEFT)<br>104065 (RIGHT) | 106725           |
| 108621     | N/A     | N/A             | 104058       | 108817 (LEFT)<br>108818 (RIGHT)<br>10882 (FRONT) | 106516             | 1089143(LEFT)<br>1089144(RIGHT) | N/A              |
| 108621     | N/A     | N/A             | 104058       | 108817 (LEFT)<br>108818 (RIGHT)<br>10882 (FRONT) | 106516             | 1089143(LEFT)<br>1089144(RIGHT) | N/A              |



All products shown are backed by the  
Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)

# Tile Nippers

## COMPOUND ACTION



**Long-lasting tungsten carbide tip with titanium nitride surface treatment extends the tool life**



Ideal for making intricate or curved cuts on all tile types. Easily removes narrow strips from tile up to 1cm from the edge. Simply score the tile and use the nippers to remove scrap piece.

Comfortable ergonomic non-slip cushioned handle is designed to reduce user fatigue.

| Item #  | Description                 | Case Qty |
|---------|-----------------------------|----------|
| NIPCOMP | Tile Nipper Compound Action | 6        |

# Tile Nippers

## STANDARD OFFSET



**Perfect cuts made by manual tile cutters even on extremely hard material**



Ideal for making intricate or curved cuts on all tile types. Easily cut narrow strips from tile up to 1cm from the edge. Simply score the edge of tile and then snap off.

Comfortable ergonomic non-slip cushioned handle is designed to reduce user fatigue.

| Item # | Description                 | Case Qty |
|--------|-----------------------------|----------|
| NIPOFF | Tile Nipper Standard Offset | 10       |

# Tile Nippers

## GLASS/MOSAIC



**Easily make imperfect cut patterns**



Designed to cut hard porcelain, ceramic, glass, and mosaic tiles. The two titanium coated wheels allow users to cut even the hardest of materials with ease.

Comfortable ergonomic non-slip cushioned handle is designed to reduce user fatigue.

| Item #   | Description              | Case Qty |
|----------|--------------------------|----------|
| NIPGLASS | Tile Nipper Glass/Mosaic | 10       |



All products shown are backed by the Russo Trading Company Shield of Approval.


Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)



# 3D Stone & Tile Backers

## Make your next tile job 3D

While the designs made possible by the 3D Stone and Tile approach are nearly infinite, there are two primary categories of design: "Wedged" and "Popped." 3D Flat Backers also make ideal shims for accent tile when thickness varies.



Lay wedge thick end-to-thick end



Lay wedge thick end-to-thin end



Great for shimming accent tile



Choose from 3 thicknesses to create a unique "pop" design



Endless design possibilities


### Wedge Backers



Wedged Backer Sizes:  
5/16" - 0" Taper 12" x 24"

3D Wedged designs employ tile to which wedged-shaped versions of these patented BreakThru Backers have been applied. Depending on how the tile is laid (thick end-to-thick end or thick end-to-thin end), either a wave or staircase effect can be achieved. Both of which are dramatic and totally unexpected.

### Flat (Popped) Backers



Flat Backer Thickness:  
1/8", 3/16", or 5/16"  
12" x 24"

3D Popped designs employ tile to which flat versions of these patented BreakThru Backers have been applied. Because the Backers are of various thickness, individual tiles can be made to "pop" out from the main plane of the tiled surface, creating another unique and dramatic set of design possibilities.

| Item #   | Description                | Case Qty. |
|----------|----------------------------|-----------|
| 3D12X24W | 12" x 24" 3D Wedged Backer | 25        |
| 3D18F    | 1/8" 3D Flat Backer        | 25        |
| 3D316F   | 3/16" 3D Flat Backer       | 25        |
| 3D516F   | 5/16" 3D Flat Backer       | 25        |



All products shown are backed by the  
Russo Trading Company Shield of Approval.  
Call 262-432-0877 • [www.RTCproducts.com](http://www.RTCproducts.com)






# REQUEST A FREE BANNER!

## Choose Your Banner

*You've got options! Pick what works for your location to display.*

Pick from **Vertical** 2' x 6' Or **Horizontal** 6' x 2' Banner sizes

### A. Professional Tools for the Tile & Stone Industry



Get Behind the Shield!  
[www.RTCproducts.com](http://www.RTCproducts.com)

### B. Professional Tools for the Tile & Stone Industry



Get Behind the Shield! | [www.RTCproducts.com](http://www.RTCproducts.com)

**Attention Valued Dealers,**  
We would love to give you a **FREE** banner  
to hang at your location.  
We have several options to choose from  
to fit your space.

#### **Take your pick:**

- A.** Vertical: Russo 2' x 6' banner
- B.** Horizontal: Russo 6' x 2' banner
- C.** Vertical: Co-branded 2' x 6' banner\*
- D.** Horizontal: Co-branded 6' x 2' banner\*


\*Co-branded with your logo. All we need is your high resolution logo to place in the "Your logo here" space.

If none of these sizes work for your space and you need to change the size or product, please contact us at 262-432-0877.

### C. Professional Tools for the Tile & Stone Industry



**Your logo here**



Get Behind the Shield!  
[www.RTCproducts.com](http://www.RTCproducts.com)

### D. Professional Tools for the Tile & Stone Industry



Get Behind the Shield! | [www.RTCproducts.com](http://www.RTCproducts.com)

**Order yours today! Call 262-432-0877. "Get behind the shield" [www.RTCproducts.com](http://www.RTCproducts.com)**